Open Research Online

The Open University's repository of research publications and other research outputs

Linked USDL agreement: effectively sharing semantic service level agreements on the Web

Conference or Workshop Item

How to cite:

García, Jose María; Pedrinaci, Carlos; Resinas, Manuel; Cardoso, Jorge; Fernández, Pablo and Ruiz-Cortés, Antonio (2015). Linked USDL agreement: effectively sharing semantic service level agreements on the Web. In: 2015 IEEE International Conference on Web Services, IEEE, pp. 137–144.

For guidance on citations see [FAQs](#).

© 2015 IEEE

Version: Accepted Manuscript

Link(s) to article on publisher's website:
<http://dx.doi.org/doi:10.1109/ICWS.2015.28>

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

oro.open.ac.uk

Linked USDL Agreement: Effectively Sharing Semantic Service Level Agreements on the Web

José María García*, Carlos Pedrinaci[†], Manuel Resinas*, Jorge Cardoso[‡], Pablo Fernández* and Antonio Ruiz-Cortés*

**University of Seville, Spain*

Email: {josemgarcia, resinas, pablofm, aruiz}@us.es

[†]The Open University, United Kingdom

Email: c.pedrinaci@open.ac.uk

[‡]CISUC/Department of Informatics Engineering, University of Coimbra, Portugal

Email: jcardoso@dei.uc.pt

Abstract—As the use of services available on the Web is becoming mainstream, contracts and legal aspects of the relationship between providers and consumers need to be formalized. However, current proposals to model service level agreements are mostly focused on technical aspects, do not explicitly provide semantics to agreement terms, and do not follow Web principles. These limitations prevent take-up, automatic processing, and effective sharing of agreements. Linked USDL Agreement is a Linked Data based semantic model to describe and share service agreements that extends Linked USDL, which offers a family of languages to describe various technical and business aspects of services. We followed a use case driven approach, evaluating the applicability of our proposal in a cloud computing scenario, and comparing its expressiveness with existing models. Finally, we show a concrete tool that helps to model and check the validity of agreements.

Keywords—service level agreements; semantic modelling; service trading; cloud services

I. INTRODUCTION

Despite the importance of services in developed economies and the widespread adoption of world-wide electronic commerce over the Web, most service trading is still essentially carried out via traditional and, often, manual means [1]. Searching for services, understanding their characteristics, or customizing a contract with service level guarantee are all activities generally carried out manually.

The vision towards a Web of services that would provide an economic fabric to complement existing brick and mortar services has led to the creation of conceptual models, and prototypes (see, e³Service [2], USDL [3], Linked USDL [1], and cloud computing management [4]). These contributions provide important building blocks in order to support the trading of services over the Web in an open, scalable, and automated manner.

Recently, USDL and notably its latest evolution, Linked USDL, have emerged as versatile general purpose means for capturing formal service descriptions covering aspects such as participants, distribution channels, interactions, and resources. Linked USDL has been devised as an extensible and modular family of ontologies providing convenient means for supporting the modelling, sharing, and processing of service descriptions openly over the

Web. Thus far, however, Linked USDL provides no coverage for capturing agreement contracts between the parties engaged in a service transaction. Among these agreements, most relevant are service-level agreements (SLA) which define the level of a service (e.g., service reliability and availability) and corresponding actions in case of non-compliance such as compensations and liability issues (an example of a traditional paper SLA contract can be found here¹).

In this paper we present Linked USDL Agreement, an extension to the Linked USDL family of ontologies, which provides domain independent means for capturing SLAs. Our ontology provides the necessary means for capturing the semantics of those agreements in a way such that current heterogeneity issues within existing SLAs specifications are circumvented. At the same time, thanks to using Linked Data principles [5], Linked USDL Agreement constitutes a fundamental building block for the trading of services online, by empowering providers and customers alike to discover, interpret, reuse, and manage the SLAs involved in any service transaction. Compared to other alternatives [6], our proposal covers most of the SLA lifecycle activity, it natively embraces novel principles of the Web of Data as a means for sharing descriptions, and it is accompanied by tooling providing both validation and a reference implementation of essential SLAs analysis methods.

This paper is structured as follows. Sec. II provides an overview of the related work in the field of SLAs and introduces Linked USDL. Then, Sec. III enumerates our requirements and describes a motivation scenario used to drive the design of our solution. Sec. IV thoroughly describes the Linked USDL Agreement module. Sec. V evaluates our proposal, while Sec. VI showcases the implemented tooling. Finally, Sec. VII presents the conclusions and our future work.

II. RELATED WORK

USDL [3] is, to date, perhaps the most comprehensive approach for supporting the description of services for automated processing, with the aim of covering services

¹<http://www.slateplate.com/ServiceLevelAgreementTemplate.pdf>

description, interfaces, pricing models, SLAs, and related legal issues. Despite its comprehensive support, USDL underestimated the need for such a model to be widely open, highly flexible and extensible, and yet simple in nature [1]. To cater for these limitations Linked USDL set out to provide an all encompassing model for describing services, inspired by USDL but following a simpler, more extensible, open and Web centric solution [1].

Linked USDL is the latest evolution of USDL building upon the results and experience gained with USDL combined with prior research on Semantic Web Services, business ontologies, and Linked Data to better promote trading at Web scale [1]. Linked USDL is a family of Web vocabularies predicated upon two fundamental principles: i) the adoption of Linked Data [5] for representing and exposing the descriptions of services and related relevant entities, e.g., the companies involved; and ii) the use of formal ontology representation languages, albeit lightweight to retain scalability, as a means to capture the semantics of services and related entities. Linked USDL Core extends widely used vocabularies, such as GoodRelations [7], with the fundamental means for representing services, offerings, the involvement of business entities, as well as the communication channels allowing business entities to trade and deliver services.

While Linked USDL Core provides essential descriptive capabilities for managing services, given the wide range of aspects that are relevant to service trading, it enables the creation of extensions allowing users to increase the capabilities of the model as need arises. The management of SLAs is one of those aspects for which a specific extension is necessary. Researchers have faced the need for such an extension and have done preliminary work towards transforming Linked USDL Business Policies to WS-Agreement [8]. This transformation is based on a subset of the general WS-Agreement model extended with ad-hoc constructors which does not, however, cover the compensation elements introduced in Linked USDL Agreement. Marquezan et al. [9] also extend Linked USDL with a Transport and Logistics SLA Vocabulary. Unlike our proposal, this extension is domain-specific, and is therefore essentially targetted at modelling transport and logistics SLAs. Furthermore, it does not support expressing common characteristics of many SLAs such as penalties. Both proposals highlight nonetheless the clear need for a domain independent SLA extension to Linked USDL.

Outside USDL, several languages or models to specify SLAs have also been defined in the literature (cf. a comparative analysis in [6]); amongst them, WSLA [10] and WS-Agreement [11], introduced in 2001 and 2005 by IBM and the Global Grid Forum, respectively, represent the most prominent approaches within industry. Specifically, the latter, which was an evolution of the former, was developed as a specification framework that provides extensibility mechanisms to create fully-fledged SLA languages (cf. [12]). Despite the variety of approaches, most are predicated upon the existence of an underlying

WSDL description which, with the advent of Web APIs, is often nonexistent. Furthermore, those approaches are essentially focussed on software based services which, although important, only represent a minimal share of the services market leaving many other service activities (e.g., insurance, eLearning, etc) with a poor coverage and support (cf. Sec. III-A).

III. REQUIREMENTS AND USE CASE

We have identified a set of requirements that are reflected in a motivating scenario in the cloud computing services domain, following a use case driven approach and using competency questions obtained from the scenario analysis.

A. Requirements on Modelling Service Level Agreements

Recent technological development in the field of services, e.g., cloud services and Web APIs, have substantially changed the face of computational services and, hence, their SLAs. Thus, there is the need to revisit the field of SLAs to determine if specifications still fulfill current requirements, which are enumerated in the following.

1) *Shared Meaning of Content*: Effective trading requires service providers and customers to speak the same “language”. Descriptions need therefore be based on an agreed upon format or schema (*shared meaning of schema*), and be expressed in mutually understandable terms and concepts (*shared meaning of content*). Previous SLA languages, such as WSLA and WS-Agreement, only address the first requirement. Linked Data on the other hand was purposely proposed to cover the publication, discovery, and interpretation of both schemas and content in a machine understandable form over the Web. For example, the vocabularies `itil:{processes, roles, glossary}`² organise more than 600 terms related to IT services, which can be used to unambiguously share the semantics of contracts’ content. Sec. IV explains how Linked Data can be used by SLA specifications.

2) *Open, Web-based Solution*: To promote take-up and effectively share and process SLA descriptions online, the technological approach should be open to anybody to publish and exploit such descriptions, but also open to extensions to address unanticipated needs and scenarios. Our approach, as opposed to earlier proposals, embraces Web principles and technologies to provide a highly interoperable and scalable solution. Sec. V compares our solution to other SLA approaches.

3) *SLA Lifecycle Automation*: The negotiation and creation of SLAs is a key activity in the SLA lifecycle. Other activities include validity checking, conformance and monitoring, which seek to detect contract conflicts and breaches. Manually performing these activities is an expensive and error-prone process. To carry them out efficiently, it is necessary to feed SLAs specifications into automated software applications that can validate SLAs and find violations. Sec. VI demonstrates how this automation can be achieved.

²<http://w3id.org/itil/{processes,roles,glossary}>

B. Cloud Computing Services Use Case

The Cloud computing paradigm has emerged as a cost-effective and efficient form of on-demand provisioning of computing services. Businesses do not need to host a large number of resources to cope with their computing requirements, but can dynamically use external services that provide them, lowering operating and maintenance costs, as well as supporting a high scalability [13]. Cloud computing architectures are usually divided into four layers: hardware, infrastructure, platform and application layers. For each layer, several vendors provide related services depending on the users' needs. For instance, the infrastructure layer can be offered as a service, the so called *Infrastructure as a Service* (IaaS). These services offer infrastructural resources such as servers and virtual machines, including pre-loaded images or customizable ones. Some examples of IaaS providers are Amazon EC2³, Microsoft Azure⁴, and Google Cloud Platform⁵.

In this scenario, where different businesses interact using service-oriented architectures to outsource computing needs, the formalisation of the SLAs that govern business relationship is of outmost importance. Most SLAs are described in natural language at providers' websites. For example, the following table shows a typical SLA for Amazon EC2 service commitment⁶. This information was written to be processed by humans and not by software.

Monthly Uptime %	Service Credit %
Less than 99.95% but equal to or greater than 99.0%	10%
Less than 99.0%	30%

Focusing on this particular use case and typical contents on other SLAs analysed, we can specify a series of competency questions to devise a semantic vocabulary [14] useful for the SLA lifecycle:

- Q1: Which functionality and quality levels does a service provide?
- Q2: Which service properties are guaranteed to have certain values?
- Q3: Which compensation is obtained if the guaranteed value of a property is not provided?
- Q4: Who is responsible for enforcing the guaranteed service level values?
- Q5: Who is responsible for monitoring and computing the guaranteed values?
- Q6: What is the assessment period during which a guarantee is provided?
- Q7: How are service property values computed?

The design of our semantic model is driven by its ability to effectively answer these competency questions. In addition, an agreement model for services has to be designed for its exploitation on the Web, so that the associated SLA documents should be easily accessible and

processable. Consequently, we impose additional requirements concerning scalability, ease of publication, use of existing standards and recommendations, and informed by major efforts on SLA specification frameworks, such as WS-Agreement [11].

IV. MODELLING SERVICE AGREEMENTS

Considering the identified requirements and driven by the competency questions discussed previously, we designed an agreement module integrated with the Linked USDL family of vocabularies, following the design decisions and architecture presented below. The Linked USDL Agreement module is publicly available in GitHub⁷, including the use cases presented throughout this paper.

To provide a shared meaning of SLAs, our model uses formal ontology representation languages to handle the structural and semantic heterogeneity of current SLAs. Therefore, as when designing Linked USDL [1], we have followed Linked Data principles [5], allowing our model to share and interlink data about service agreements on the Web.

Linked Data promotes reuse of existing models and datasets, facilitating the design of our model and compatibility with existing tools. Our approach ensures that the identified competency questions were answered successfully, allowing the complete description of our cloud computing use case, as discussed in Sec. V.

Fig. 1 presents our proposed agreement model. Essentially, an agreement consists of a set of terms that state the conditions that are guaranteed under the SLA, and which compensations are taken if a certain guarantee is violated. In the following we describe in detail the most important concepts of Linked USDL Agreements.

AgreementTerm represents a single term of an SLA, which could possibly have a *precondition* that restricts the situation when the term is enforced. All instances of this concept that are related to a concrete *service offering* describe the complete SLA provided with that offering. In particular, we differentiate two subtypes of terms that can appear in an agreement, namely *guarantees* and *compensations*.

Guarantee represents an agreement term of an SLA that specifically *guarantees* certain conditions over service properties. This concept is commonly called Service Level Objective (SLO) in other SLA models. An example of a *Guarantee* could capture that "Amazon guarantees that the monthly uptime of its EC2 service will be at least 99.95%".

Compensation is a specialisation of an agreement term that represents an alternative term that will be guaranteed in case that the original *guarantee* term (associated with the compensation via the *hasCompensation* property) is not fulfilled, e.g. "a service credit of 10% will be entitled if the monthly uptime is less than 99.95% but equal to or greater than 99.0%". Note that this example contains a *precondition* on the monthly uptime.

³<http://aws.amazon.com/ec2>

⁴<http://azure.microsoft.com>

⁵<https://cloud.google.com>

⁶<http://aws.amazon.com/ec2/sla/>

⁷<https://github.com/linked-usdl/usdl-agreement>

Figure 1. Linked USDL Agreement module

AgreementCondition describes a particular constraint or axiom that can be checked within the terms of an SLA. These conditions usually *refer to* a concrete service property, constraining their possible *values* depending on the actual definition of the condition, e.g. “the monthly uptime will be at least 99.95%” part of the previous guarantee term example. Our vocabulary offers some pre-defined facilities for common axiom types, including concrete guaranteed values (as in the previous *compensation* example), maximums, minimums, and intervals. However, arbitrary axioms using domain-specific languages to describe conditions can be also included using `rdf:value`.

ServiceProperty is a convenience class that allows an agreement condition to refer to either a *qualitative* (e.g., *region availability*) or a *quantitative* (e.g., *monthly uptime percentage*) service property, as defined in GoodRelations vocabulary [7].

Metric defines how to measure a particular service property. It is usually defined by a mathematical expression that needs to be computed in order to monitor a concrete property. For example, Amazon EC2 SLA describes that “Monthly Uptime Percentage is calculated by subtracting from 100% the percentage of minutes during the month in which Amazon EC2 (...) was in the state of Region Unavailable.”

EntityLiability is an extension of the *entity involvement* concept in Linked USDL Core that enables capturing the *liability role* that an involved *business entity* has in a particular agreement term, i.e. its responsibility with respect to that term. For instance, the provider of a service can act as a *guarantor* of a particular guarantee, being responsible of the fulfillment of that guarantee, while the consumer can be considered to have a *beneficiary* role in a compensation since they will benefit from it.

Linked USDL Agreement provides a simple SKOS⁸ taxonomy of liability roles, including the basic *Guarantor* and *Beneficiary* already discussed, but can be easily extended depending on the use case. Following this philosophy we extended the reference business roles SKOS scheme defined in Linked USDL Core module to support the identification of the business entities responsible for *evaluating conditions* and *providing metrics*, since these roles are usually defined in SLAs.

Apart from the main concepts described previously, we rely on several external vocabularies following Linked Data principles. First and foremost, being an extension of Linked USDL, our model builds upon the main classes of Linked USDL Core. We show this relationship in Fig. 1, where a *ServiceOffering* is related

⁸<http://www.w3.org/2004/02/skos/core>

to its corresponding agreement terms by the property `hasAgreementTerm`. Each guarantee term is itself linked to a particular `Service` included in the offering over which the conditions are guaranteed by means of `guaranteedOver` property.

Indirectly, we also use `GoodRelations` vocabulary [7] through its relationship with `Linked USDL Core` module. `GoodRelations` defines concepts related to commerce, such as business entities, products and services. We use the qualitative and quantitative service properties from `GoodRelations` when defining agreement conditions. Thus, an agreement condition may refer to a property that is a subproperty of `gr:quantitativeProductOrServiceProperty` or `gr:qualitativeProductOrServiceProperty`. Correspondingly, the values used in the condition definition through the `hasValue` property can be instances of `gr:QuantitativeValue` or `gr:QualitativeValue`.

The `Time Ontology`⁹ is also integrated to cover temporal properties relevant for the SLA, including the evaluation and measuring intervals of agreement conditions and metrics, respectively, as well as the validity period of SLA terms [15]. Regarding the metrics support for conditions and service properties, we do not restrict a particular vocabulary to be used, but we recommend the integration with `QUDT`¹⁰ for describing units of measurement, or `SPIN`¹¹ for defining the metric expressions, for instance.

In addition to those vocabularies, we also make use of `Dublin Core`¹², `VANN`¹³ and `Friend of a Friend (FOAF)`¹⁴ to cover general purpose metadata about the vocabulary itself, such as creators, modification dates, and preferred namespace prefixes and URIs. Finally, as already discussed, we use `Simple Knowledge Organization System (SKOS)` vocabulary for creating the classification scheme for liability roles, similarly as other role schemes defined in `Linked USDL Core` module.

V. EVALUATION

In this section, we evaluate how well `Linked USDL Agreement` fulfills the requirements enumerated in Sec. III, validating our model using the introduced cloud computing scenario and additional real-world use cases. Furthermore, we discuss the SLA description coverage considering the framework proposed in [6].

A. Cloud Computing Service Agreement

The motivating example described in Sec. III-B served also a validation purpose in our work. Thus, we tested the suitability of our vocabulary to completely describe the SLA of the cloud computing provider `Amazon EC2`¹⁵.

⁹<http://www.w3.org/TR/owl-time>

¹⁰<http://qudt.org/>

¹¹<http://spinrdf.org/spin.html>

¹²<http://purl.org/dc/terms/>

¹³<http://purl.org/vocab/vann/>

¹⁴<http://xmlns.com/foaf/0.1/>

¹⁵The complete description of the use case can be found at <https://github.com/linked-usdl/usdl-agreement/tree/master/UseCases/AmazonEC2>

We especially focus on verifying the extent to which `Linked USDL Agreement` vocabulary can describe the terms expressed in the `Amazon EC2 SLA`, while being able to answer the listed competency questions.

The `Amazon EC2 SLA` contains a series of definitions regarding the monthly uptime percentage and the extent to which it is guaranteed for all the infrastructure provided by `Amazon EC2`. If the SLA is violated, `Amazon` honours a service credit to the user. First, our vocabulary is able to associate the guarantees of an SLA to the description of the service offering which is governing, which in turn is associated with a particular service description that describes its functionality, answering Q1.

The definitions included in the SLA refer to properties of the `Amazon EC2` service that are guaranteed. Therefore, we modelled them using the properties definition from `GoodRelations`, as described in Sec. IV. Q2 can thus be answered by querying the model about the properties that are referenced, using for example `SPARQL` as shown in Listing 1.

Listing 1. Obtaining service properties relevant to the agreement

```
1 SELECT ?prop WHERE {
2   :amazonEC2ServiceOffering
3     usdl-agreement:hasAgreementTerm ?term .
4   ?term usdl-agreement:guarantees ?conditions .
5   ?conditions usdl-agreement:refersTo ?prop }
```

The main part of the agreement states the guaranteed value of the monthly uptime percentage. Listing 2 shows how we modelled that service commitment. First, the guarantee term refers to the concrete service included in the original service offering over which the guarantee is applied, as well as the liability of the different entities involved in the agreement (`Amazon` as a provider and an abstract customer in our example). This information about the different roles of the entities provides the answers to both Q4 and Q5.

Listing 2. Agreement terms

```
1 :ec2ServiceCommitment a usdl-agreement:Guarantee ;
2   usdl-agreement:guaranteedOver
3     :ec2M1LargeInstanceType ;
4   usdl-agreement:hasEntityLiability
5     :liab_customer , :liab_Amazon ;
6   usdl-agreement:guarantees [
7     a usdl-agreement:MinGuaranteedValue ;
8     qudt:unit
9       <http://qudt.org/vocab/unit#Percent> ;
10    usdl-agreement:hasEvaluationInterval
11      :monthlyInterval ;
12    usdl-agreement:hasValue [
13      a gr:QuantitativeValueFloat ;
14      gr:hasValueFloat "99.95"^^xsd:float ] ;
15    usdl-agreement:refersTo
16      :monthlyUptimePercentage ] ;
17   usdl-agreement:hasCompensation
18     :ec2ServiceCredit30 , :ec2ServiceCredit10 ;
19   usdl-agreement:hasValidityInterval
20     :monthlyInterval .
```

Second, the guaranteed condition is defined as the minimum value that the `:monthlyUptimePercentage` property has to provide. We also include in our description the definition of the metrics used to compute that property, relying on external vocabularies and tools to properly

answer Q7. Third, the time intervals where values are guaranteed or need to be monitored by involved parties are described using intervals modelled with the Time ontology, covering Q6.

Finally, compensation terms model alternative conditions that will take into place in the case that the guaranteed values are not fulfilled (Q3). In the particular case of Amazon EC2 compensations, the SLA defines two compensation levels depending on the final value of the monthly uptime percentage, as shown in Sec. III-B. We model them adding preconditions to the compensation terms.

B. Software as a Service Contracts

To make our evaluation comprehensive, we have also analyzed *software as a service agreement contracts* that are commonly used in the industry to establish SLAs. These paper-based contracts are often prepared by lawyers and require a case-by-case customization. The following illustrative and representative extract of a service agreement contract¹⁶ describes service level availability.

- 1) **Exhibit A. Definitions**
- (a) "Actual Uptime" shall mean the total minutes in the reporting month that the Services were available to Authorized Users for normal use.
 - (c) "Scheduled Downtime" shall mean [...]
 - (d) "Scheduled Uptime" shall mean the total minutes in the reporting month less the total minutes represented by the Scheduled Downtime.
- 2) Service Level Standard. Services will be available to Authorized Users for normal use 100% of the Scheduled Uptime.
- 3) Calculation. (Actual Uptime/Scheduled Uptime)*100= % Uptime [...]
- 4) Performance Credit [...]
- (b) Where Percentage Uptime is equal to or less than 99.98%, Subscriber shall be due a Performance Credit in the amount of 10% of the Services Fees [...] for each full 1% reduction in Percentage Uptime.

Contracts are often composed of two parts: 1) the agreement and 2) the exhibits. The agreement describes the general terms of the contract using natural language with no underlying structure. On the other hand, exhibits provide a structured description, still in natural language, about the specific terms of a contract¹⁷. The part that we have successfully modeled was "Exhibit A" of the contract under analysis. Nonetheless we have identified that further research and solutions are still required to model the part of the contract agreement due to the complexity of the language used as shown in the following text box.

Agreement. "2.2 Service Level Reporting. On a monthly basis, in arrears and no later than the fifteenth (15th) calendar day of the subsequent month following the reporting month, Service Provider shall provide reports to Subscriber describing the performance of the Services and of Service Provider as compared to the Service Level Standards; provided, however, that the Subscriber Satisfaction Survey Service Level shall be conducted by Service Provider each year on the anniversary of the Effective Date and the results shall be reported to Subscriber by Service Provider no later than the fifteenth (15th) calendar day of the subsequent month following such anniversary date. [...]"

¹⁶Obtained from <http://assets-production.govstore.service.gov.uk/G5/1756/5.G5.1756.003/QD1/MasterSoftwareasaServiceAgreement2014.docx>

¹⁷A partial description in Linked USDL Agreement of the use case can be found at <https://github.com/linked-usdl/usdl-agreement/tree/master/UseCases/SaaS>

Alternatively, the agreement part of a contract needs to be simplified and also needs to be written using structured descriptions, as done with the exhibits, to enable an automated processing. This approach is being followed by major cloud computing providers, such as Amazon, Google, and Microsoft.

C. Linked USDL Agreement coverage evaluation

Finally, we evaluate the coverage of Linked USDL Agreement against the comparison framework proposed in [6]. This comparison framework comprehends 22 criteria grouped by the SLA lifecycle activity in which they are more relevant. These criteria were used to compare 14 SLA and Service Contract Languages. Table I summarises the criteria and shows the evaluation results of Linked USDL Agreement. It also depicts how many of the 9 SLA languages analysed fulfill each criteria.

Linked USDL Agreement fulfills 13 out of the 22 criteria. The formalism used to define Linked USDL Agreement are ontologies. Both functional and quality terms can be expressed in Linked USDL Agreement through Linked USDL Core's *ServiceOffering* and through the *Guarantee* introduced by Linked USDL Agreement, respectively. The reusability of SLAs is native to the Linked USDL approach. Metric providers and metric schedule are modelled including the *MetricProvider* business role in an involved entity, and *hasMeasuringInterval* of *Metric*, respectively. The condition evaluator can be specified using the corresponding business role on the relevant involved entity. Qualifying conditions are expressed using the property *hasPrecondition* of *AgreementTerm*. The obliged party can be modelled for each *AgreementTerm* using liability roles via *hasEntityLiability* property. The assessment schedule of an SLO is specified with property *hasEvaluationInterval*. Validity periods are expressed by means of property *hasValidityInterval* for each *AgreementTerm*. Both penalties and rewards can be expressed at the level of SLOs using property *hasCompensation* of *Guarantee*. Finally, the validity period of the whole SLA can be expressed using the *validThrough* property of a *ServiceOffering* included in Linked USDL Core.

Concerning the remaining criteria, the main reason they have been left outside of Linked USDL Agreement is because they are not shared by most real-world SLAs we have found in our analyses. Specifically, composability is not supported because most SLAs are not for composite services, or rather, they are expressed for the resulting composition which is exposed as a single service. The same applies to the ability to express alternative service levels since most SLAs define just one service level¹⁸; the ability to express soft constraints since most SLOs are expressed as hard constraints; the two negotiation-related criteria since most SLAs are take-it-or-leave-it

¹⁸Note that different service levels can still be expressed in Linked USDL Agreement through different *ServiceOfferings* or by means of pre-conditions.

Table I
LINKED USDL AGREEMENT EVALUATION ACCORDING TO THE FRAMEWORK FROM [6]

Criteria	Description	Evaluation	Proposals
Formalism	The language's formalism	Ontol.	Several
Coverage	The ability to express functional and quality terms	[y,y]	2 [y,y]
Reusability	The ability to reuse parts of the SLA	yes	7 yes, 2 part.
Composability	The ability to represent SLAs for composite services	no	1 good, 4 fair
Metric definition	The ability to define quality metrics	no	5
Alternatives	The ability to express alternative service levels	no	7 impl.
Soft constraints	The ability to express soft SLOs	no	2
Matchmaking Metric	Definition of how to compare SLAs	no	2
Meta-Negotiation	The ability to represent information about the negotiation process	no	1 good, 2 fair
Negotiability	The ability to define which parts of the SLA are negotiable	no	2 part
Metric Provider	The ability to define the party responsible for producing metric's measurements	yes	4
Metric Schedule	The ability to define the measurement frequency of a metric	yes	4
Condition Evaluator	The ability to define the party responsible for SLO evaluation	yes	2
Qualifying Condition	The ability to define conditions that must hold in order to assess an SLO	yes	2
Obligated	The ability to express the party in charge of delivering what is guaranteed in an SLO	yes	7
Assessment Schedule	The ability to express the assessment frequency of an SLO	yes	3
Validity Period	The ability to express the time period in which the SLO is guaranteed	yes	4
Recovery Actions	The ability to express corrective actions to be carried out when an SLO is violated	no	4
Penalties	The ability to express penalties incurred when one party violates its guarantees	SLO	3 SL, 2 SLO
Rewards	The ability to express rewards incurred when one party exceeds its guarantees	SLO	1 SL, 2 SLO
Settlement Actions	The ability to express actions concerning the final SLA outcome	no	2
SLA Validity Period	The ability to express the period where an SLA is valid	yes	5

offers without any possible negotiation; and the ability to express recovery actions and settlement actions since only penalties are usually defined in SLAs. Furthermore, these criteria are also those that are fulfilled by less proposals with no more than 2 different proposals fulfilling each of them except for recovery actions, which are supported by 4 proposals. This reinforces our belief that they are only useful in a very limited set of scenarios.

Nevertheless, due to the nature of our modelling approach, new extensions to Linked USDL Agreement can be seamlessly integrated in order to provide these advanced features in scenarios that require them. For instance, one might design a negotiation-related extension that extends the *ServiceOffering* with information about the negotiation process and the *Guarantee* with information about its negotiability.

VI. TOOLING SUPPORT

Writing an SLA in Linked USDL Agreement (like in any other formal language) can be a challenging task. Since it is manual, there is a risk of errors that, depending on the complexity of the SLA, can be very high. Additionally, as SLAs represent rights and responsibilities of the stakeholders that could lead to compensations, they include sensitive statements that should be carefully designed and modelled. Conflicts amongst the terms of the SLAs, such as inconsistencies, represent a major drawback that should be avoided to assure specifications that would not lead to misunderstandings or unexpected situations. To address this drawback, we provide a tool¹⁹ for the definition and consistency checking of SLAs.

Fig. 2 shows our tool performing a validity check. The tool was developed within the context of the IDEAS framework that supports the creation of on-line environments for the usage and analysis of formal models

¹⁹Available at http://www.isa.us.es/IDEAS/Linked_USDL_Agreement

Figure 2. Linked USDL Agreement Tool

by means of different language modules. The proposed Linked USDL Agreement tooling is based on an underlying analysis module that detects problems in SLA documents using constraint programming [12] by performing a validity check that includes detection of dead guarantees (in case a precondition can not be satisfied at any point) and inconsistent terms (when agreement conditions are contradictory). In addition to validity checking, the Linked USDL Agreement tool provides an analysis report answering the different competency questions presented in Sec. III by means of SPARQL queries.

Validity check is based on an analysis of the constraints defined in agreement conditions. Specifically, to reuse the constraint programming based technique presented in [12], we developed a transformation from Linked USDL Agreement to a WS-Agreement template that directly maps those constraints as follows: 1) Linked USDL Agree-

ment guarantee terms are transformed into WS-Agreement guarantee terms, in which its guarantees, preconditions and compensations are transformed into SLOs, qualifying conditions and penalties or rewards in business value lists, respectively; 2) Linked USDL Agreement service properties referred by agreement conditions are transformed into WS-Agreement service properties as variables; 3) the properties used by the services and included in the service offerings of Linked USDL Agreement are transformed into properties in the service description terms of WS-Agreement and the concrete values assigned to those properties in services are transformed into creation constraints for the service description terms.

VII. CONCLUSIONS AND FUTURE WORK

Since existing specifications for creating agreements for services, such as WS-Agreements, WSLA, and SLA*, were developed to capture the technical aspects of Web services, we developed Linked USDL Agreement, an extension to the Linked USDL service description family, to capture business aspects, compensations and time constraints, among others. The new specification is to be used to establish and share agreements between customers and providers who seek to automatically perform service trading over the Web.

The evaluation of Linked USDL Agreement was two-fold. On the one hand, we evaluated its capabilities to model services such as EC2 made available by Amazon AWS. On the other hand, we showed how our proposal covers the SLA lifecycle compared to existing ones, focusing on actually used features in common SLAs. Furthermore, we discuss how the information captured by our model can be automatically used by tools to perform validity checking, for instance.

Future work requires to build a proof-of-concept prototype to illustrate how a service marketplace could automatically provision services to consumers with regards to their requirements and preferences [16] coping with heterogeneity issues, as well as to establish contracting using Linked USDL Agreement, and to automatically detect service level objectives' violations, which would be reported to customers and trigger compensation actions.

ACKNOWLEDGMENTS

Authors would like to thank Juan Luis de la Fuente for the development of the tooling. This work has been partially supported by the European Commission (FEDER), the Spanish and the Andalusian R&D&I programmes (grants P12-TIC-1867, TIN2012-32273, TIC-5906, IPT-2013-0890-3).

REFERENCES

- [1] C. Pedrinaci, J. Cardoso, and T. Leidig, "Linked USDL: A Vocabulary for Web-scale Service Trading," in *11th Extended Semantic Web Conference (ESWC)*, ser. LNCS, vol. 8465. Springer, 2014.
- [2] H. Akkermans, Z. Baida, J. Gordijn, N. Peña, A. Altuna, and I. Laresgoiti, "Value webs: Using ontologies to bundle real-world services," *IEEE Intelligent Systems*, vol. 19, no. 4, pp. 57–66, 2004.
- [3] J. Cardoso, A. Barros, N. May, and U. Kylau, "Towards a unified service description language for the internet of services: Requirements and first developments," in *IEEE International Conference on Services Computing (SCC)*, Florida, USA, 2010, pp. 602–609.
- [4] J. Cardoso, T. Binz, U. Breitenbücher, O. Kopp, and F. Leymann, "Cloud Computing Automation: Integrating USDL and TOSCA," in *CAiSE 2013*, ser. LNCS, vol. 7908. Springer, 2013, pp. 1–16.
- [5] C. Bizer, T. Heath, and T. Berners-Lee, "Linked Data - The Story So Far," *Int. J. Semantic Web Inf. Syst.*, vol. 5, no. 3, pp. 1–22, 2009.
- [6] K. Kritikos, M. Carro, B. Pernici, P. Plebani, C. Cappiello, M. Comuzzi, S. Benrernou, I. Brandic, A. Kertész, and M. Parkin, "A survey on service quality description," *ACM Computing Surveys*, vol. 46, no. 1, pp. 1–58, 2013.
- [7] M. Hepp, "GoodRelations: An Ontology for Describing Products and Services Offers on the Web," in *Knowledge Engineering: Practice and Patterns*. Springer, 2008, pp. 329–346.
- [8] I. Arampatzis, S. Veloudis, and I. Paraskakis, "Linked USDL Business Policy Specifications as WS-Agreement Templates," in *2nd International Workshop on Cloud Service Brokerage (CSB 2014)*, 2014.
- [9] C. C. Marquezan, A. Metzger, R. Franklin, and K. Pohl, "Runtime Management of Multi-level SLAs for Transport and Logistics Services," in *Service-Oriented Computing - ICSOC 2014*, ser. LNCS, vol. 8831. Springer, 2014, pp. 560–574.
- [10] A. Dan, D. Davis, R. Kearney, A. Keller, R. King, D. Kuebler, H. Ludwig, M. Polan, M. Spreitzer, and A. Youssef, "Web Services On Demand: WSLA-Driven Automated Management," *IBM Systems Journal*, vol. 43, no. 1, pp. 136–158, 2004.
- [11] A. Andrieux, K. Czajkowski, A. Dan, K. Keahey, H. Ludwig, T. Nakata, J. Pruyne, J. Rofrano, S. Tuecke, and M. Xu, "Web services agreement specification (ws-agreement)," Open Grid Forum, Tech. Rep. GFD-R.192, 2011. [Online]. Available: <https://www.ggf.org/documents/GFD.192.pdf>
- [12] C. Muller, M. Resinas, and A. Ruiz-Cortes, "Automated Analysis of Conflicts in WS-Agreement," *IEEE Transactions on Services Computing*, pp. 1–1, Aug. 2013.
- [13] Q. Zhang, L. Cheng, and R. Boutaba, "Cloud computing: state-of-the-art and research challenges," *Journal of internet services and applications*, vol. 1, no. 1, pp. 7–18, 2010.
- [14] M. Uschold and M. Gruninger, "Ontologies: Principles, methods and applications," *Knowledge Engineering Review*, vol. 11, no. 2, pp. 93–136, 1996.
- [15] C. Müller, O. Martín-Díaz, A. R. Cortés, M. Resinas, and P. Fernandez, "Improving temporal-awareness of ws-agreement," in *Service-Oriented Computing - ICSOC 2007*, ser. LNCS, vol. 4749. Springer, 2007, pp. 193–206.
- [16] J. M. García, M. Junghans, D. Ruiz, S. Agarwal, and A. R. Cortés, "Integrating semantic web services ranking mechanisms using a common preference model," *Knowl.-Based Syst.*, vol. 49, pp. 22–36, 2013.