



Open Research Online

Citation

Qin, Rongshan; Tang, Guoyi and Gromov, Victor (2017). Manufacturing of materials using external fields. *Materials Science and Technology*, 33(12) pp. 1397–1398.

URL

<https://oro.open.ac.uk/49009/>

License

(CC-BY-NC-ND 4.0)Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Policy

This document has been downloaded from Open Research Online, The Open University's repository of research publications. This version is being made available in accordance with Open Research Online policies available from [Open Research Online \(ORO\) Policies](#)

Versions

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding

Editorial

Manufacturing of materials using external fields

Rongshan Qin, Guoyi Tang and Victor Gromov

There has been an increase in research on the interaction between external fields and the structure and properties of materials, with the purpose of seeking solutions that have not been addressed by conventional thermal and mechanical processing. The external fields include electric, magnetic, ultrasonic and stress. Pulsed fields are favoured for minimising energy consumption and sometimes also to avoid certain side effects. Recent research on the subject has been discussed at the 7th International Symposium on Materials in External Fields held in Imperial College London during 22–23 September 2016, where more than 25 participants from China, the Russian Federation, Republic of Korea, Germany and United Kingdom participated with their oral presentations. The papers presented here have been thoroughly reviewed by the independent procedures of this journal, just as would any submission.

Pulsed electric current has been implemented in many processing cases. Materials Science and Technology has published numerous papers on the subject, both from past meetings and unrelated submissions [1]. There exists a popular and incisive critical review of the technology [2]. The latest collection of papers describes the application of electropulsing to clean steel making [3], inclusion agglomeration [4], precipitation [5], corrosion [6], texturing [7], condensation [8] and microstructural alteration [9]. Todorov reports the micro-scale theory of the effect of electric current in bulk materials [10]. Related presentations on the effect of electropulsing on droplet breakup [11] and on low temperature crystal rotation [12] have also been published.

The simultaneous application of electropulsing and ultrasonics for surface processing has been discovered to cause significant alterations in the structure and properties of a variety of steels [13,14]. This potential has been demonstrated also in alloy manufacture. Babutskyi et al. presented the effect of magnetic pulses on Ti-alloys [15]. The evolution of structure and properties of pearlitic steels under long-term mechanical loading has been reported by Victor et al. [16]. Researchers from several UK industries, e.g. MBDA, Lucideon and MPI, have either presented their applications or have participated in the discussions, emphasising perhaps the first significant possibility of commercial exploitation.

As guest editors of this thematic issue and organisers of the 7th symposium (ISMEF'16), we would like to thank the Editors of Materials Science and Technology for supporting our activities and making this thematic issue possible. We also thank all authors and reviewers of the selected papers presented herein for their commitment.

References:

1. Bhadeshia HKDH. The electrical processing of materials. *Mater Sci Technol.* 2015; 31: 1521-1522.
2. Qin RS. Critical Assessment 8: Outstanding issues in electropulsing processing. *Mater Sci Technol.* 2015;31:203-206.

3. Zhang XF, Qin RS. Separation of electrically neutral non-metallic inclusions from molten steel by pulsed electric current, *Mater Sci Technol*. Doi: 10.1080/02670836.2016.1275451
4. Zhao ZC, Qin RS. Inclusion agglomeration in electrified molten metal: thermodynamic consideration, *Mater Sci Technol*. Doi: 10.1080/02670836.2016.1270729
5. Liu MS, Wang XL, Zhao X. Effect of high-density electric current pulses on precipitation and mechanical properties of a Cu–Zn alloy. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1279856.
6. Jia DB, Dai WB, Tang GP et al. Improvement of pitting corrosion resistance of stainless steel by electric current pulse. *Mater Sci Technol*. Doi: 10.1080/02670836.2016.1277092
7. Zhang RK, Li XH, Kuang J, et al. Texture modification of magnesium alloys during electropulse treatment. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1291164.
8. Dai WB et al. The Impact of Electric Current Pulse on Y₂O₃ Precursor Nucleation. *Mater Sci Technol*. Doi:
9. Omoigade O, Haldar A, Qin RS. Characterisation of electric current treated austenite using misorientation angle distributions in martensite. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1304619.
10. Todorov TN, Cunningham B, Dundas D, et al. Non-conservative forces in bulk systems. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1296991.
11. Qin R. Using electric current to surpass the microstructure breakup limit. *Sci Rep*. 2017; 7:41451.
12. Rahnama A, Qin R. Room temperature texturing of austenite/ferrite steel by electropulsing, *Sci Rep*. 2017; 7:42732.
13. Liu T, Wang HB, Tang GY, et al. Surface modification of D36 steel by ultrasonic impact with electropulsing. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1288310.
14. Xu Z, Wang H, Sun Z. Effect of electropulsing assisted turning process on AISI 5120 cementation steel. *Mater Sci Technol*. Doi:
15. Babutskiy A., Effect of Pulsed magnetic treatment on the corrosion of titanium. *Mater Sci Technol*. Doi:
16. Gromov VE, Ivanov YF, Qin RS. Degradation of structure and properties of rail surface layer at long-term operation. *Mater Sci Technol*. Doi: 10.1080/02670836.2017.1287983.