

Open Research Online

The Open University's repository of research publications and other research outputs

New evidence for geothermal controls upon recent basal melting of mid-latitude glaciers on Mars

Conference or Workshop Item

How to cite:

Butcher, Frances; Gallagher, Colman; Arnold, Neil; Balme, Matthew; Conway, Susan; Lewis, Stephen and Hagermann, Axel (2017). New evidence for geothermal controls upon recent basal melting of mid-latitude glaciers on Mars. In: EGU General Assembly 2017, 23-28 Apr 2017, Vienna, Austria.

For guidance on citations see [FAQs](#).

© 2017 The Authors

Version: Version of Record

Link(s) to article on publisher's website:

<http://meetingorganizer.copernicus.org/EGU2017/EGU2017-19224-1.pdf>

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

oro.open.ac.uk



New evidence for geothermal controls upon recent basal melting of mid-latitude glaciers on Mars

Frances Butcher (1), Colman Gallagher (2,3), Neil Arnold (4), Matthew Balme (1), Susan Conway (5), Stephen Lewis (1), and Axel Hagerman (1)

(1) School of Physical Sciences, The Open University, UK, (2) UCD School of Geography, University College Dublin, Ireland, (3) UCD Earth Institute, University College Dublin, Ireland, (4) Scott Polar Research Institute, University of Cambridge, UK, (5) CNRS, LPG Nantes, France

Diagnostic evidence for past melting of putative debris-covered glaciers (DCGs) in Mars' mid-latitudes [e.g. 1-2] is extremely rare. As such, it is widely believed that these DCGs have been perennially frozen to their beds in cold-based thermal regimes [e.g. 3] since their formation ~ 40 Ma to 1 Ga [4-8]. Here, we present a geomorphic map and propose a landsystem model that challenges this paradigm. We identify a sinuous ridge emerging from the terminus of a DCG in the broad rift zone NE of the Tharsis volcanic province. We interpret this ridge as an esker formed by deposition of sediment within a subglacial meltwater conduit. This is only the second esker-like ridge to be identified in association with a mid-latitude DCG. Recent work [9] identified a complex of esker-like ridges on the foreland of an extant DCG in Phlegra Montes, for which high-resolution analysis is ongoing [10]. Significantly, both candidate eskers are located within graben. Graben are topographic troughs formed by crustal extension and are commonly associated with elevated geothermal heat flux [e.g. 11]. A paucity of meltwater morphologies associated with DCGs elsewhere in Mars' mid-latitudes implies that atmospheric warming alone was insufficient for widespread basal melting. We argue that, during deglaciation, atmospheric warming supplemented enhanced geothermal heat flux within graben such that the basal temperature threshold for basal melting of DCGs was surpassed in these locations [9]. This has implications for the search for recent life on Mars, as it helps constrain the likely regions of recent meltwater production within protected subglacial environments. As eskers are exposed relicts of subglacial drainage systems, they are accessible to landed missions without the high-risk requirement to drill through remnant decametre-thick debris-mantled ice.

FEGB is funded by STFC grant ST/N50421X/1

[1] Head, J.W. et al. (2010), *Earth Planet. Sc. Lett.* 294, 306-320. [2] Levy, J.S. et al. (2014), *J. Geophys. Res. Planets* 119, 2188-2196. [3] Marchant, D.R., and Head, J.W. (2007), *Icarus* 192, 187-222. [4] Baker, D.M.H. et al. (2010), *Icarus* 207, 186-209 [5] Hartmann, W.K. et al. (2014) *Icarus* 228, 96-120. [6] Levy, J.S. et al. (2007), *J. Geophys. Res. Planets* 112, E08004. [7] Berman, D.C., et al. (2012), *LPSC XLIII*, Abstract #1593. [8] Baker, D.M.H. and Head, J.W. (2015), *Icarus* 260, 269-288. [9] Gallagher, C., and Balme, M.R. (2015), *Earth Planet Sc. Lett.* 431, 96-109. [10] Butcher, F.E.G. et al. (2016), *LPSC XLVIII*, Abstract #1238 [11] Meixner, J. et al. (2016), *J. Struct. Geol.* 82, 1-15.