



OPINION ARTICLE

What role can videogames play in the COVID-19 pandemic?

[version 1; peer review: awaiting peer review]

Hannah R. Marston ¹, Rachel Kowert²

¹Health and Wellbeing Strategic Research Area, Open University, UK, Milton Keynes, Buckinghamshire, MK7 6AA, UK

²Take This, Seattle, WA, USA

v1 **First published:** 02 Jun 2020, 2:34
<https://doi.org/10.35241/emeraldopenres.13727.1>
Latest published: 02 Jun 2020, 2:34
<https://doi.org/10.35241/emeraldopenres.13727.1>

Open Peer Review

Reviewer Status *AWAITING PEER REVIEW*

Any reports and responses or comments on the article can be found at the end of the article.

Abstract

Video games are often thought of as trite activities for younger generations. However, research in game studies over the last few decades have revealed that games can be valuable tools for growth and connection, particularly among older generations. Exploring the ways digital games can be used as tools for connection has gained increased attention in recent months with global quarantines as a result of COVID-19. This article reviews the research that has examined the utility of digital games for older adults, focusing specifically on the ways in which games can be tools for social connectedness and psychological healing for older adults and intergenerationally. Special focus will be placed on the role games can play for post-traumatic stress among first responders.

Keywords

Digital games, Social connectedness, Mental health, PTSD, Interaction, Intergenerational, Childless, Ageing



This article is included in the [Healthy Lives gateway](#).



This article is included in the [Coronavirus \(COVID-19\) collection](#).

Corresponding author: Hannah R. Marston (Hannah.Marston@open.ac.uk)

Author roles: **Marston HR:** Conceptualization, Methodology, Project Administration, Resources, Supervision, Writing – Original Draft Preparation, Writing – Review & Editing; **Kowert R:** Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The author(s) declared that no grants were involved in supporting this work.

Copyright: © 2020 Marston HR and Kowert R. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Marston HR and Kowert R. **What role can videogames play in the COVID-19 pandemic? [version 1; peer review: awaiting peer review]** Emerald Open Research 2020, 2:34 <https://doi.org/10.35241/emeraldopenres.13727.1>

First published: 02 Jun 2020, 2:34 <https://doi.org/10.35241/emeraldopenres.13727.1>

Introduction

Videogames have become a phenomenal form of entertainment over the last 60 years and their history has been documented through various texts (Forster, 2005; Herman, 2001; Kent, 2000). Scholarly activity and research have illustrated this growing interest from academe, with many scholars focusing on the impact, user experience and design of videogame, as illustrated by Marston & del Carmen (2020) in their recent scoping review that focuses on the Generation X cohort. This cohort has to date received little attention from academe (Brown & Marston, 2018), unlike the Baby Boomer cohort, which has received substantial interest from scholars across the fields of gerontology, gerontechnology, media and communications.

One sub-domain of the Game Studies discipline has garnered interest: the Games for Health (G4H) movement. G4H actively facilitates interdisciplinary research in a bid to achieve the primary aims and objectives of this domain, and to date scholarly activity has shown how videogames can be designed, developed and used for a myriad of health conditions. For example, obesity (Lu *et al.*, 2013), fall prevention (Marston *et al.*, 2015), dementia (Cutler *et al.*, 2016), and social connectedness (Schell *et al.*, 2016). Since 2010, there has been several scholarly reviews published, with the focus on the benefits of videogames over the last decade (Bleakley *et al.*, 2015; Hall *et al.*, 2012; Marston *et al.*, 2016; Marston & Smith, 2012; Miller *et al.*, 2014).

The purpose of this opinion piece is to discuss the contemporary landscape of videogames and the relationship that they can and do play from the standpoint of COVID-19.

Intergenerational, social connectedness and loneliness

From the standpoint of intergenerational gaming, over the last decade there has been a growing interest in videogames from this perspective. Contemporary literature illustrates this growth, with a systematic review published in 2017 (De la Hera *et al.*, 2017), which comprised of 16 papers. This review highlighted four categories: (1) reinforcing family bond, (2) enhancing reciprocal learning, (3) increasing understanding of the other generation, and finally (4) reducing social anxiety. In addition, research conducted by Voids & Greenberg (2010); Voids & Greenberg (2009) purport positive design challenges by fostering intergenerational gaming practices. Similarly, De la Hera & colleagues' (2017) research aligns with the notions of Voids & Greenberg (2012), and also reason the positive relations between intergenerational gaming and design by understanding the barrier and enablers to existing game console design.

There has been a swathe of contemporary research associated with social connectedness and loneliness by scholars in the field of Gerontology, positing various social factors relating to the experience of social and emotional loneliness, and a disconnect with members of the community and society (Drennan *et al.*, 2008; Heylen, 2010).

De Jong Giervel (1998) defines loneliness as an unpleasant and negative feeling, especially when there is a perception of disconnection between achieving and desiring the quality and/or quantity of social connections. Additionally, Wenger & Burholt (2004) have noted that social isolation is an objective measure associated to the dearth of social contact/connections. Markers and experiences in our lives, such as retirement, bereavement, illness, disability or caring responsibilities, can be triggers to loneliness. With this in mind, the COVID-19 pandemic has exacerbated loneliness and social isolation amongst society, not only amongst older populations (Drennan *et al.*, 2008; Ejlskov *et al.*, 2019; Marston & Morgan, Forthcoming 2020; Yang & Victor, 2011), but also younger cohorts (Ejlskov *et al.*, 2019), young disabled adults (Morris, 2001), men (Ratcliffe *et al.* (2019) and childless adults who in/voluntary experience childlessness (Hadley, 2020; Hadley, 2018a/b; Hadley, 2019). Hadley (2018b) argues,

“While many age related issues such as isolation, loneliness and dementia have recently gathered extensive attention (and funding) people ageing without children is a subject that remains unreported, under-researched and under-represented at all levels” (Hadley, 2018b, p. 76–77).

Furthermore, a tri-country study (Kendig *et al.*, 2007) ascertained associations between childless men and poor health, such as depression, excessive smoking, drinking and difficulty sleeping. Dykstra & Hagestad (2007) state,

“The childless ‘are vulnerable - a group at risk of social isolation, loneliness, depression, ill health and increased mortality’” (Dykstra & Hagestad, 2007, p. 1288).

In recent weeks, contemporary research posits the potential benefits of technology for all citizens during the COVID-19 pandemic (Marston *et al.*, 2020; Sheerman *et al.*, 2020; White *et al.*, 2020). In addition to existing narratives and discourse, technology is playing a pivotal role in various ecosystems as a means of continuing and enhancing social connections, be it amongst young gamers and/or from an intergenerational standpoint (De la Hera *et al.*, 2017; Voids & Greenberg, 2010; Voids & Greenberg, 2009; Wang *et al.*, 2018).

Conversely, does technology and videogames play a greater significant role in the lives of childless middle-and-older adults? To date, there is an absence in the Game Studies, Gerontology and Gerontechnology literature surrounding the benefits and barriers to using technology by adults who are childless.

Health and wellbeing for emergency responders and frontline workers

There has been growing scholarly activity surrounding the health, wellbeing and post-traumatic stress (PTSD) of emergency services personnel (ESP) in the UK. Contemporary research suggests PTSD is greater in ESPs than in the general population (Arble & Arnetz, 2017; Brooks *et al.*, 2019; Counson *et al.*, 2019; Mildenhall, 2019; Varker *et al.*, 2018).

Currently, research is starting to illustrate and clarify how ESPs are becoming more disproportionately exposed to

specific experiences/situations in conjunction to a more overall general working environment. In the context of COVID-19, [Mildenhall \(2020\)](#) offers guidance in the area of psychosocial and mental wellbeing, primarily aimed at paramedics, personnel and managers, while from a policing perspective, [Hesketh et al. \(2018\)](#) offers guidance associated to PTSD, targeting police personnel across the UK.

In a forthcoming scoping review, [Marston et al. \(Marston et al., 2020\)](#) demonstrate the paucity in contemporary literature surrounding the design, use and deployment of specific technologies, such as mobile health (mHealth) apps, targeting ESPs, specifically police personnel and support staff. Conversely, the Blue Light Wellbeing Framework ([Hesketh & Williams, 2017](#)) has been designed with the objectives of health and wellbeing provision for both uniformed and support staff. A web portal – [Oscar Kilo \(OK\)](#), deployed for the National Police Wellbeing Service (NPWS) – comprises of a set of independent standards, aimed at police personnel and ESPs, and affords organisations and police forces the opportunity to audit and benchmark themselves against this framework.

The OK framework was co-designed by a myriad of actors (e.g. practitioners (all levels), professionals and academics), and includes five areas: (1) strategic and tactical planning templates, (2) psychological risk management guidance ([Hesketh et al., 2017](#)), (3) responding to trauma guidance ([Hesketh & Tehrani, 2019](#)), (4) the GAIN pyramid ([Hesketh et al., 2017](#)), and (5) a series of real stories presented in animations. Whilst there is a growing body of evidence, there is still little scholarly evidence to understanding how technologies, such as mHealth apps and/or videogames, can facilitate health, wellbeing and PTSD to front line ESPs and support staff.

The use of videogames to facilitate support and offer treatment for PTSD ([Holloway & Reger, 2013](#); [Macleod & Sloan, 2017](#)) has garnered greater attention in recent years, with the use of videogames and online virtual environments. While the online virtual environment – [Second Life \(https://secondlife.com/\)](#) has previously been used as a tool to offer support to military personnel and their families in an attempt to alleviate PTSD ([Hemmerly-Brown, 2019](#)). From a US military personnel perspective, a study by [Colder Carras et al. \(2018\)](#) has been performed, comprising of 20 participants who engaged with videogames as a means of understanding mood and stress levels. Overall, this qualitative study reported positive results by veterans associated with behavioural recovery and PTSD health. The respective authors suggested videogames can act as a form of personal medication, as a way of promoting recovery ([Colder et al., 2018](#), pg. 2). While a systematic review ([Callejas-Cuervo et al., 2017](#)) conducted in 2017 and comprising of 15 articles also ascertained positive directions to rehabilitation for PTSD treatment, relating to emotional recognition and videogames.

The videogame *Tetris* has been used in the environment of an emergency department as an approach of reducing trauma after a traffic accident. Using a randomized control trial (RCT) design, [Iyadurai et al. \(2018\)](#) conducted an intervention that occurred

within six hours of the incident. The control group were required to write an activity log for 20 minutes, and the intervention group were required to play Tetris for 20 minutes. Over a period of one week, the aim of the RCT was to compare the number of intrusive trauma memories. Although findings from this proof-of-concept study showed positive benefits at one week, the respective authors suggest a larger and longer trial is needed to understand the benefits at one month.

Gaming in a time of COVID-19

Videogames have become a feature in the homes of many citizens old and young over the last several decades, transforming the home to one which now accepts the videogame console as a feature. [Flynn \(2003\)](#) describes the domestication of the home and states,

“The home is once again framed as ‘a machine for living in’ with the user most ‘at home’ when playing the game console” ([Flynn 2003](#), pg. 558).

The history of the videogames is long documented ([Forster 2005](#); [Herman, 2001](#); [Kent, 2000](#)), detailing the move of videogames from public space into private – the home. [Flynn \(2003\)](#) purports how the videogame consoles over the decades has been implemented into the living space – of the digital hearth to feature and sit alongside the additional pieces of furniture in this physical space. At the time of writing this specific piece (21st Century), Flynn pontificates and narrates the perceptions and portrayals of digital consumption 100 years earlier, describing the difference between a country house environment and prospective future housing environmental design. Whereby over the decades, one’s lifestyle, gender and media influences has led to redefining how key pieces of technology are represented and identified specifically by women ([Massey, 2000](#)). For example,

“From this examination of the contemporary ideal home, it would appear that for the middle-class female readership of lifestyle magazines, the video console is still an alien machine in relation to narratives of identity associated with domesticity and family togetherness.” ([Flynn, 2003](#), pg. 565).

The notion of videogames portrayed in magazines illustrated the alternative physical space or third place (e.g. the bedroom) to game playing, rather than the living room or the digital hearth as previously described by [Flynn \(2003\)](#). Whereas, the previous notion of the living room as the familial space – or the suburban living room – as the gaming/meeting place was replaced by such advertisements purported by games industry companies ([McGuire, 2003](#)).

Existing research ([De la Hera et al., 2017](#); [Vaida & Greenberg, 2010](#); [Vaida & Greenberg, 2009](#); [Wang et al., 2018](#)) and the work presented by [Flynn \(2003\)](#), illustrates how videogames can enhance interaction within the physical space(s) with other gamers, and adults alike. During this unprecedented time in society, COVID-19 is impacting many physical spaces and ecosystems ([Marston et al., 2020](#); [Sheerman et al., 2020](#); [White et al., 2020](#)), be it a community group, a family, middle-aged or older adults living on their own, or a keyworker. Yet,

videogames and their peripheral technologies can and do have a role to play in continuing and enhancing social connections, relationships and engagements, from within the ecosystem and/or across WiFi communications.

It is important to note the unique contribution that games provide to mediated socialization. The fact that games are playful, fun, interactive spaces differentiates them from other forms of mediated communication, such as text messaging or social media (Kowert, 2015). They allow individuals to connect through play, which is an important facet of psychological well-being throughout the lifespan (Connell & Dunlap, 2020). Play in and of itself is associated with reduced stress and depression, as well as a releasing of endorphins (Robinson *et al.*, 2019). Combined with the various benefits of in-game socialization (i.e., reduced stress, depression, and sense of loneliness; see Kowert, 2015) makes games a useful tool for mitigating some of the negative impacts of COVID-19 for adults.

Taking a different route in this discussion and turning our attention to the growth of evidence positively supporting and facilitating health, wellbeing and PTSD in different populations, in addition to enhancing intergenerational relationships, further considerations are needed. For example, in this opinion piece, we have explored contemporary literature surrounding intergenerational gaming. However, for those citizens who are ageing without children or grandchildren, how can videogames facilitate positive health and wellbeing, social connections and reduce a sense of loneliness? We suggest here that future research should explore how videogames are used as a means of understanding social connections and reducing loneliness by middle-age and older adults. As previously noted by Hadley (2018b), scholarly research is underrepresented in the field of people ageing without children. Given the situation(s) that this pandemic has placed on citizens, for those who perceive themselves as gamers, and who may not have children or grandchildren, they may have already chosen to use videogames as a means of socially connecting with friends in an online environment. Using videogames as a means of socially connecting with un/known gamers may afford a person a sense of positive feeling.

From the standpoint of ESPs, evidence is growing that illustrates the need for identifying appropriate solutions for treatment of PTSD and for continuing positive health and

wellbeing practices within the workforce. As noted in their forthcoming review, Marston *et al.* (under review, 2020) purport the paucity of existing literature surrounding technology use and deployment for ESPs in association with health, wellbeing and PTSD. Furthermore, they provide a series of recommendations in an attempt to move this interdisciplinary work forward, and given the current situation within society (associated to COVID-19), there is the likelihood that health practitioners, and social care keyworkers may require health, wellbeing and PTSD rehabilitation/recovering in the future. For instance, keyworkers such as those who are working in our hospitals are witnessing multiple deaths throughout their shifts, and days, and in some instance of their colleagues. Furthermore, deaths of citizens are also been reported from care/nursing homes, and many health and social care workers have chosen to 'live in' and shield the residents from COVID-19.

Conclusions

In this opinion piece, we have demonstrated how videogames can play a pivotal role in various societal ecosystems from the individual/digital hearth to the larger ecosystem surrounding ESPs, health practitioners, and social care workers, who at present are exposed to various situations and trauma.

Moving this debate forward, interdisciplinary research is needed to focus on two landscapes. Firstly, from the standpoint of social sciences and how videogames can impact the lives of middle-and-older adults who are ageing without children. As previously noted, there is a paucity of research specifically focusing on adults who are ageing without children. Social connectedness and loneliness are key experiences, and more information and understanding are required to offer solutions to reduce these risks.

Secondly, more research is required from the standpoint of videogames and ESPs and the role in which videogames can be a means of reducing trauma, offering positive health, wellbeing and PTSD solutions. This would require efforts from a myriad of actors, forming a co-designed and co-produced approach to ensure all key information and take-up is included.

Data availability

No data is associated with this article.

References

- Arble E, Arnetz BB: **A Model of First-responder Coping: An Approach/Avoidance Bifurcation.** *Stress Health.* 2017; 33(3): 223–232.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Bleakley CM, Charles D, Porter-Armstrong A, *et al.*: **Gaming for Health: A Systematic Review of the Physical and Cognitive Effects of Interactive Computer Games in Older Adults.** *J Appl Gerontol.* 2015; 34(3): NP166–NP189.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Brooks SK, Dunn R, Amlöt R, *et al.*: **Protecting the psychological wellbeing of staff exposed to disaster or emergency at work: a qualitative study.** *BMC Psychol.* 2019; 7(1): 78.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Brown JA, Marston HR: **Gen X and Digital Games: Looking Back to Look Forward.** In: Zhou J., Salvendy G. (eds) *Human Aspects of IT for the Aged Population. Applications in Health, Assistance, and Entertainment.* ITAP 2018. *Lecture Notes in Computer Science*, vol 10927. Springer, Cham. 2018.
[Publisher Full Text](#)
- Callejas-Cuervo M, Martínez-Tejada L, Alarcón-Aldana A: **Emotion recognition techniques using physiological signals and video games –Systematic review–.** *Revista Facultad De Ingeniería.* 2017; 26(46): 19–28.
[Publisher Full Text](#)
- Colder Carras M, Kalbarczyk A, Wells K, *et al.*: **Connection, Meaning, and Distraction: A Qualitative Study of Video Game Play and Mental Health**

Recovery in Veterans Treated for Mental and/or Behavioral Health Problems. *Soc Sci Med.* 2018; **216**: 124–132.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Connell M, Dunlap K: **You are the one foretold; Finding yourself through the journey.** In R. Kowert (Ed.) *Video Games and Well-Being.* New York: Palgrave. 2020; 125–140.

[Publisher Full Text](#)

Counson I, Hosemans D, Lal TJ, *et al.*: **Mental health and mindfulness amongst Australian fire fighters.** *BMC Psychol.* 2019; **7**(1): 34

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Cutler C, Hicks B, Innes A: **Does Digital Gaming Enable Healthy Aging for Community-Dwelling People With Dementia?** *Games Cult.* 2016; **11**(1–2): 104–129.

[Publisher Full Text](#)

de Jong Gierveld J: **A review of loneliness: concept and definitions, determinants and consequences.** *Rev Clin Gerontol.* 1998; **8**(1): 73–80.

[Publisher Full Text](#)

De la Hera T, Loos E, Simons M, *et al.*: **Benefits and factors influencing the design of intergenerational digital games: A systematic literature review.** *Societies.* 2017; **7**(3): 18.

[Publisher Full Text](#)

Drennan J, Treacy M, Butler M, *et al.*: **The experience of social and emotional loneliness among older people in Ireland.** *Ageing Soc.* 2008; **28**(8): 1113–1132.

[Publisher Full Text](#)

Dykstra PA, Hagestad GO: **Childlessness and Parenthood in Two Centuries: Different Roads—Different Maps?** *J Fam Issues.* 2007; **28**(11): 1518–1532.

[Publisher Full Text](#)

Ejlskov L, Bøggild H, Kuh D, *et al.*: **Social relationship adversities throughout the lifecycle and risk of loneliness in later life.** *Ageing Soc.* 2019; 1–17.

[Publisher Full Text](#)

Flynn B: **Geography of the Digital Hearth.** *Information, Communication & Society.* 2003; **6**(4): 551–576.

[Publisher Full Text](#)

Forster W: **The Encyclopedia of game machines—Consoles, handheld and home computers 1972–2005.** Boca Raton: Game Plan. 2005.

[Reference Source](#)

Games for Health & mHealth Apps for Police & Blue Light Personnel: A research review. *The Police Journal: Theory, Practice and Principles.* Under review.

Hadley RA: **Men and me(n).** *Methodological Innovations.* 2020.

[Publisher Full Text](#)

Hadley RA: **The lived experience of older involuntary childless men.** *The Annual Journal of the British Sociological Association Study Group on Auto/Biography* 2018a; **2017**: 93–108.

[Reference Source](#)

Hadley RA: **Ageing Without Children, gender and social justice.** In Westwood, S. (ed.), *Ageing, Diversity and Equality: Social justice perspectives*, 2018b; 66–81. Routledge: Abingdon.

[Reference Source](#)

Hadley RA: **Deconstructing Dad.** In John Barry, Roger Kingerlee, Martin Seager and Luke Sullivan (eds.), *The Palgrave Handbook of Male Psychology and Mental Health.* 2019; 47–66. Palgrave Macmillan: London.

[Publisher Full Text](#)

Hall AK, Chavarria E, Maneeratana V, *et al.*: **Health benefits of digital videogames for older adults: A systematic review of the literature.** *Games Health J.* 2012; **1**(6): 402–410.

[PubMed Abstract](#) | [Publisher Full Text](#)

Hemmerly-Brown A: **DoD gives PTSD help 'second life' in virtual reality.** *U.S. Army.* 2019; Accessed 19th May 2020.

[Reference Source](#)

Herman L: **Phoenix: The fall and rise of videogames.** 2001; Springfield: Rolenta Press.

[Reference Source](#)

Hesketh I, Williams S: **Blue Light Wellbeing Framework.** College of Policing, London, 2017.

[Reference Source](#)

Hesketh I, Tehrani N: **Psychological Trauma Risk Management in the UK Police Service.** *Policing: A Journal of Policy and Practice.* 2019; **13**(4): 531–535.

[Publisher Full Text](#)

Hesketh I, Tehrani N, Harrison J: **Psychological Risk Management: Introduction & Guidance.** College of Policing Ltd. 2017; Accessed 7th April, 2020.

[Reference Source](#)

Hesketh I, Tehrani N, Harrison J, *et al.*: **Post-Traumatic Stress Disorder (PTSD) and Policing - Short Guidance Document.** College of Policing Ltd. 2018.

[Reference Source](#)

Heylen L: **The older, the lonelier? Risk factors for social loneliness in old age.** *Ageing and Society.* 2010; **30**(7): 1177–1196.

[Publisher Full Text](#)

Holloway KM, Reger GM: **T2 Virtual PTSD Experience: A Virtual Worlds Environment to Educate Service Members and Veterans About Combat-Related Posttraumatic Stress Disorder.** *International Journal of Human-Computer Interaction.* 2013; **29**(9): 594–603.

[Publisher Full Text](#)

Iyadurai L, Blackwell SE, Meiser-Stedman R, *et al.*: **Preventing intrusive memories after trauma via a brief intervention involving Tetris computer game play in the emergency department: a proof-of-concept randomized controlled trial.** *Mol Psychiatry.* 2018; **23**(3): 674–682.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Kendig H, Dykstra PA, van Gaalen RI, *et al.*: **Health of Aging Parents and Childless Individuals.** *J Fam Issues.* 2007; **28**(11): 1457–1486.

[Publisher Full Text](#)

Kent SL: **The first quarter: A 25-year history of video games.** Pitampura: BWD Press. 2000.

[Reference Source](#)

Kowert R: **Video Games and Social Competence.** New York: Routledge. 2015.

[Publisher Full Text](#)

Lu AS, Kharrazi H, Gharghabi F, *et al.*: **A Systematic Review of Health Videogames on Childhood Obesity Prevention and Intervention.** *Games Health J.* 2013; **2**(3): 131–141.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Macleod E, Sloan R: **Recover: designing a videogame to assist with recovery from PTSD.** Paper presented at *The ACM SIGCHI Annual Symposium on Computer-Human Interaction in Play.* Amsterdam, Netherlands. 2017.

[Reference Source](#)

Massey D: **Space, Place and Gender.** Minneapolis, MN: University of Minnesota Press. 2000.

[Reference Source](#)

Marston HR, Woodbury A, Kroll M, *et al.*: **The design of a purpose built Exergame for fall prediction and prevention amongst older adults.** *Eur Rev Aging Phys Act.* 2015; **12**: 13.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Marston HR, Morgan DJ: **The role Technology & Twitter play in social connectedness, disconnectedness during COVID-19.** *IPA Bulletin.* 2020.

Marston HR, del Carmen Miranda Duro M: **Revisiting the Twentieth Century Through the Lens of Generation X and Digital Games: A Scoping Review.** *Comput Game J.* 2020; **9**: 127–161.

[Publisher Full Text](#)

Marston HR, Freeman S, Bishop A, *et al.*: **Utilization of digital games for older adults aged 85+ years: A scoping review.** *Games for Health Journal.* 2016; **5**(3): 157–174.

[Publisher Full Text](#)

Marston HR, Smith ST: **Interactive videogame technologies to support independence in the elderly: A narrative review.** *Games Health J.* 2012; **1**(2): 139–152.

[PubMed Abstract](#) | [Publisher Full Text](#)

Marston HR, Musselwhite C, Hadley RA: **COVID-19 vs Social Isolation: the impact technology can have on communities, social connections and citizens.** *Ageing Issues.* 2020.

[Reference Source](#)

McGuire M: **Playstation 2: Selling the Third Place, DAC conference proceedings.** Melbourne: RMIT University. 2003.

[Reference Source](#)

Mildenhall J: **Guidance for managers on psychosocial support and mental wellbeing of ambulance personnel in a pandemic crisis.** *College of Paramedics.* 2020; Accessed 07th April 2020.

[Reference Source](#)

Mildenhall J: **Protecting the mental health of UK paramedics.** *Journal of Paramedic Practice.* 2019; **11**(1): 6–7.

[Publisher Full Text](#)

Miller KJ, Adair BS, Pearce AJ, *et al.*: **Effectiveness and Feasibility of Virtual Reality and Gaming System Use at Home by Older Adults for Enabling Physical Activity to Improve Health-Related Domains: A Systematic Review.** *Age Ageing.* 2014; **43**(2): 188–195.

[PubMed Abstract](#) | [Publisher Full Text](#)

Morris J: **Social exclusion and young disabled people with high levels of support needs.** *Crit Soc Policy.* 2001; **21**(2): 161–183.

[Publisher Full Text](#)

Ratcliffe J, Wigfield A, Alden S: **'A lonely old man': Empirical investigations of older men and loneliness, and the ramifications for policy and practice.** *Ageing Soc.* 2019; 1–21.

[Publisher Full Text](#)

Robinson L, Smith M, Segal J, *et al.*: **The Benefits of Play for Adults.** 2019; Retrieved.

[Reference Source](#)

Schell R, Hausknecht S, Zhang F, *et al.*: **Social Benefits of Playing Wii Bowling for Older Adults.** *Games and Culture.* 2016; **11**(1–2): 81–103.

[Publisher Full Text](#)

Sheerman L, Marston HR, Musselwhite C, *et al.*: **COVID-19 and the secret virtual assistants: the social weapons for a state of emergency [version 1; peer review: awaiting peer review].** *Emerald Open Res.* 2020; **2**: 19.

[Publisher Full Text](#)

Varker T, Metcalf O, Forbes D, *et al.*: **Research Into Australian Emergency Services Personnel Mental Health and Wellbeing: An Evidence Map.** *Aust N Z J Psychiatry.* 2018; **52**(2): 129–148.

[PubMed Abstract](#) | [Publisher Full Text](#)

Voida A, Greenberg S: **Wii all play: The console game as a computational meeting place.** In *Proceedings of the 27th international conference on human factors in computing systems—CHI' 09*. 2009; 1559–1568.

[Publisher Full Text](#)

Voida A, Greenberg S: **A gameroom of our own: Exploring the domestic gaming environment.** Alberta: Calgary, 2010.

[Publisher Full Text](#)

Voida A, Greenberg S: **Console gaming across generations: Exploring intergenerational interactions in collocated console gaming.** *Universal Access in the Information Society*. 2012; 11(1): 45–56.

[Publisher Full Text](#)

Wang B, Taylor L, Sun Q: **Families that play together stay together: Investigating family bonding through video games.** *New Media and Society*.

2018; 20(11): 4074–4094.

[Publisher Full Text](#)

Wenger GC, Burholt V: **Changes in levels of social isolation and loneliness among older people in a rural area: a twenty-year longitudinal study.** *Can J Aging*. 2004; 23(2): 115–127.

[PubMed Abstract](#) | [Publisher Full Text](#)

White PJ, Marston HR, Shore L, *et al.*: **Learning from COVID-19: Design, Age-friendly Technology, Hacking and Mental Models [version 1; peer review: awaiting peer review].** *Emerald Open Res*. 2020; 2: 21.

[Publisher Full Text](#)

Yang K, Victor C: **Age and loneliness in 25 European nations.** *Ageing and Society*. 2011; 31(8): 1368–1388.

[Publisher Full Text](#)