



Open Research Online

Citation

Vicary, Sarah; Young, Alys; Rodriguez, Natalia and Tipton, Rebecca (2024). Interpreter mediation in statutory mental health assessments: a scoping review. *Interpreting and Society: an Interdisciplinary Journal* (In press).

URL

<https://oro.open.ac.uk/98452/>

License

(CC-BY-NC-ND 4.0) Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

<https://creativecommons.org/licenses/by-nc-nd/4.0/>

Policy

This document has been downloaded from Open Research Online, The Open University's repository of research publications. This version is being made available in accordance with Open Research Online policies available from [Open Research Online \(ORO\) Policies](#)

Versions

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding

Title: Interpreter mediation in statutory mental health assessments: a scoping review

Key words: Interpreter-mediated assessments, statutory mental health, involuntary treatment

Abstract

This interdisciplinary scoping review addresses the involvement of spoken and signed language interpreters in statutory mental health assessments. Specifically, this inquiry seeks to identify and review pre-existing literature concerning the barriers to and facilitators of effective practice in interpreter-mediated statutory mental health assessments, and the extent to which interpreter mediation supports or impedes a person's legal rights and best interests in this context. An interdisciplinary team applied the revised Joanna Briggs Institute scoping review framework to review forty-four items including empirical and grey literature covering relevant aspects of the available body of knowledge across the fields of social work, mental health, and interpreting studies. The review concludes that there is a lack of direct evidence on interpreting practice in the context of statutory mental health assessments, which is significant considering the high-stakes scenarios that may lead to the deprivation of liberty. The findings suggest that there is insufficient evidence regarding necessary modifications to standard interpreting practices for such assessments, as well as how assessors should adapt their own practice in response to the need for interpreting. This work highlights the need for more focused research on good practices for interpreting within this context and calls for guidance to facilitate effective interprofessional collaboration between interpreters and other professionals engaged in these assessments.

1. Introduction

This article concerns statutory mental health assessments potentially leading to involuntary detention in a psychiatric facility whether for further assessment and/or mental health treatment. In England and Wales, the statutory instrument governing this is the Mental Health Act 1983 (henceforth MHA), and similar legislation is present worldwide (Fistein et al., 2009). Specifically, the focus of this work is on understanding the practice of assessments in circumstances where an interpreter is required. We present the results of an international and interdisciplinary scoping review that sought to identify and examine pre-existing literature concerning the barriers to and facilitators of effective practice in interpreter-mediated statutory mental health assessments or Mental Health Act Assessments (henceforth MHAAs). We also explore the extent to which interpreter-mediation supports or impedes the legal rights and best interests of those being assessed within this context. It is important to note that statutory assessments related to mental capacity rather than mental illness fall outside the scope of this work.

2. Background

2.1 Topic and significance

MHAAs potentially leading to involuntary detention and treatment differ from those that might occur within a clinical diagnostic process or during ongoing treatment and therapy. In the latter scenarios, there is a growing body of existing literature in the field of interpreting and translation (e.g., Boyles and Talbot, 2017; Rolland et al., 2021; Costa, 2022). MHAAs are distinct in that they usually occur in emergency or urgent circumstances where all parties are unlikely to have a pre-existing working relationship which shapes dynamics.

In addition, the assessment process is explicitly bound by Mental Health legislation and holds significant authority. Its powers can, for instance, supersede an individual's rights under

Human Rights legislation. MHAAs require the co-operation of several doctors and non-medical professionals at a time when an individual is experiencing a serious mental health episode that may even potentially pose a risk to themselves or others. These are high stakes circumstances in which an individual's communication, language, behaviour, and understanding are likely to be altered and/or impaired because of their mental state. As a result, the performance of interpreters, the collaboration of other professionals with them, and the impact of interpreter mediation on the outcomes for the individual undergoing assessment emerge as significant areas of concern. This concern is the subject of the INForMHAA (Interpreters for Mental Health Act Assessments) (see Young et al., 2023), a project investigating professional practice and outcomes in interpreter-mediated assessments in the context of the MHA 1983. The scoping review presented here serves as a precursor to this study. INForMHAA particularly focuses on how Approved Mental Health Professionals (AMHP) jointly work with interpreters when conducting assessments under the MHA. Even though the role is open to mental health nurses, occupational therapists, and psychologists, 95% of AMHPs are qualified social workers (Skills for Care, 2024). Their role is distinct from that of the (usually) two doctors responsible for undertaking a medical recommendation. Instead, the AMHP is responsible for undertaking an assessment based on all the circumstances including an interview. The AMHP must consider all the relevant factors involving a person's context, including social and familial circumstances, in order to decide whether the person should be detained.

The AMHP role is predicated on effective interpersonal communication with the assessed person to discern their views and understanding of what is happening to them. For this reason, a specific clause was added in statutory guidance, requiring that the interview conducted as part of the assessment be carried out "in a suitable manner" (Section 13 (2) MHA, 1983). In fact, statutory guidance that accompanies the MHA explicitly highlights the

need to ensure appropriate communication for groups who might have difficulties in communicating effectively (Department of Health, 2015, paragraphs 4.4, p. 36). The guidance recognises that factors hindering effective communication include language differences, challenges comprehending technical terminology or sustaining attention, hearing or visual impairments, difficulties in literacy or numeracy, learning disabilities, as well as cultural differences. In the case of language differences, the guidance states that “every effort should be made to identify an interpreter who is appropriate to the patient” (ibid). This provision was originally inserted to safeguard the rights of individuals whose first language may not be English and to prevent the possibility of unlawful detention based on ineffective communication (Jones,1991, p.48).

Despite this emphasis on meeting communication needs, there is no requirement to systematically report the language used in a MHAA, in contrast to the recording of gender and ethnicity. Additionally, there is no evidence gathered as part of the UK minimum data set used to analyse the outcomes of MHAAs (NHS Digital, 2022b) indicating whether an interpreter was involved in an assessment. At the moment, there is uncertainty around how the presence of an interpreter may affect the process and outcome of a MHAA. This uncertainty is particularly concerning given that “those from ethnic minority communities are far more likely to be subject to compulsory powers under the Act, whether in hospital or in the community” (Department of Health and Social Care, 2018). While the majority of individuals from diverse ethnic backgrounds would not necessarily utilise languages other than English in a MHAA, it is important to acknowledge that there are some who may, particularly among new arrivals as well as refugees and asylum seekers (Migration Observatory, 2019). According to the Office of National Statistics (ONS, 2022) census data for England and Wales, 8.9% (5.1 million people) did not report English as their main language. Within this group, 43.9% (2.3 million) could speak English very well, 35.8% (1.8

million) could speak English well, 17.1% (880,000) could not speak English well, and 3.1% (161,000) could not speak English at all. Given that in 2020-2021, there were over 53,000 detentions under the MHA in England and Wales (Statista, 2023) and considering the diverse language abilities within this population, it seems reasonable to assume that a number of MHAAs may require the assistance of an interpreter.

In MHAAs, as is the case in other forms of psychological assessments, effective communication serves as a key tool for gaining insights into the individual's mental state, identifying potential underlying factors contributing to their distress and symptoms, and interpreting the significance of their behaviour (Weber et al., 2022). This involves actively considering the language used by the individual and how it may be affected by, or linked to, the individual's mental health condition (Cambridge et al., 2012). Moreover, fostering an effective relational understanding between the assessor and the person being assessed is also crucial for comprehending the individual's mental health and well-being (Rodríguez-Vicente, 2021). This not only facilitates a meaningful assessment but also ensures that the person feels heard, understood, and supported throughout the evaluation process, which ultimately contributes to more effective communication, a key factor in achieving equitable outcomes (Tribe and Thompson, 2022). Studies on mental health interpreting outside the specific context of MHAAs have demonstrated that failure to enable communication in a person's preferred language can lead to incomplete or distorted evaluations of their mental state. (Casas et al., 2012). Additionally, the extensive body of literature on interpreter-mediated encounters in various health and social care settings suggests that the effectiveness of such interactions significantly also relies on the quality of collaborative working dynamics between providers and interpreters in facilitating effective communication (Geiling et al., 2021). However, while collaborative working dynamics are advocated as a fundamental

principle, their interpretation may vary based on the unique needs and characteristics of each setting (Hsieh et al., 2013).

2.2 Approach: why a scoping review?

In seeking to assemble and review existing evidence concerning interpreter-mediated MHAAs as a precursor to the wider INforMHAA study, there were three considerations. Firstly, the topic constitutes a specialised field within the broader discipline of public service interpreting distinct from more established domains of mental health interpreting, such as psychological therapy. Nonetheless, some of the literature concerning interpreter practice in mental health assessments more generally may be of relevance even if not formally linked to this specific context. Thus, the boundaries of the field under study and review are not strictly clear-cut. Secondly, practice knowledge may not be confined solely to formal literatures, with empirical studies on this specific topic likely to be rare; consequently, a broad and inclusive approach was deemed necessary to identify and consider a potentially fragmented body of work. Thirdly, the study for which the review was a precursor was firmly associated with practice under one specific legislation, the MHA, and in one geographical context (England and Wales). Yet, valuable insights, evidence sources, and potentially best practices were anticipated from an international context where similar legislation and practices exist. Considering these factors, a scoping review was selected as the most suitable approach to address the questions outlined in the following section.

Scoping reviews have gained increasing prominence as a robust evidence-based methodology within various literature domains, particularly in the fields of medicine, healthcare, and social work/social care practice (Bradbury-Jones et al., 2022). They find their most valuable application in situations where the existing research literature is limited, rendering systematic reviews less insightful, and where professional practice knowledge exists but may be more commonly found outside of the empirically driven literatures (Grant and Booth, 2009). The

approach adopted in scoping reviews stands in contrast to systematic reviewing and meta-analyses, which primarily focus on assessing the quality and depth of existing research evidence, as illustrated in the interpreting field in the work of Brisset et al. (2013), Krystallidou et al. (2020) and Theys et al. (2020). By contrast, the essence of a scoping review lies in collating the breadth of available knowledge, which often extends into grey and informal literature, typically addressing questions of professional uncertainty (Arskey and O'Malley, 2005). Considering all these factors, the incorporation of a scoping review into the field of interpreting studies is anticipated to make a contribution by mapping information from diverse sources across various domains pertaining to the under-researched area of statutory mental health assessments.

3. Method

The review method followed the revised Joanna Briggs Institute scoping review framework (Peters et al., 2020) consisting of title and review questions; inclusion criteria; definition of participants/concept/context; search strategy; evidence screening and selection; data extraction (including charting); data analysis (synthesis); presentation of results; and conclusions. This framework is expanded from Arksey and O'Malley (2005) and Levac et al. (2010) and is reported in accordance with the PRISMA-ScR guidelines (Tricco et al., 2018). The protocol for the scoping review has been pre-registered on the international platform INPLASY, with the reference number: INPLASY20220086.

3.1 Defining the research questions

The PICo approach (Population Interest Context) (Richardson et al., 1995) guided the formulation of the research questions.

Table 1: PICo process for formulation of research questions

<p>P: Population of interest</p>	<ul style="list-style-type: none"> • Those who are assessed under the MHA or internationally equivalent legislation. • Mental health professionals involved in the assessment with specific reference to AMHPs (and similar roles internationally). • Spoken and/or signed language interpreters involved in such assessment.
<p>I: Interest</p>	<ul style="list-style-type: none"> • Evidence concerning the type and quality of interprofessional working and its impact on both the process and outcome of formal assessments under the Mental Health Act 1983 and international equivalents. • Guidance for interpreter-mediated MHAAs and their international equivalents.
<p>Co: Context</p>	<ul style="list-style-type: none"> • Statutory assessment under the MHA or its international equivalents. • The actual practice of the assessment when AMHPs (and international equivalents) and interpreters are required to work together, and the person being assessed does not speak the primary language used for the assessment.

In the specified context of interest, namely the professional practice involving AMHPs (and their international equivalents) and interpreters within the non-medical interview, components of the MHA assessment (and its international equivalents), the guiding research questions of the scoping review are:

1. What are the enablers and barriers to good practice in interpreter-mediated MHA (1983) assessments (and their international equivalents)?

2. To what extent and how might interpreter mediation support or impede the legal rights and best interests of those assessed under the MHA (1983) (or its international equivalents)?

3.2 Definition of terms for the purposes of scoping review

To conduct the scoping review effectively, it was necessary to establish clear definitions for the key terms used in literature search. The term ‘Mental Health Act (1983)’ refers to the formal legislation in England and Wales governing the compulsory assessment, treatment, and potential detention of individuals experiencing mental illness, either for their own safety or for the protection of others.

It is worth noting that mental health legislation in England and Wales undergoes periodic review, as demonstrated by the release of a draft Mental Health Bill in June 2022 (HC/HL, 2023), outlining proposed reforms to the existing Mental Health Act. However, none of the recommendations made by the Joint Consultative Committee have been accepted by the current Government (DHSC 2024) and any reform remains on hold.

‘International equivalents’ refer to parallel pieces of legislation for the same purpose and with the same or similar powers that exist in other countries, although the exact details of the provisions contained within them may not be identical (Fistein et al., 2009).

‘Translation’ is understood in this study as a superordinate term used to refer to the process of transferring meaning from one language into another (Baker, 2011). In this paper, we refer to interpreting as a form of translation in which the source-language text is presented only once and thus cannot be reviewed or replayed, and the target-language text is produced under time pressure, with little chance for correction or revision (Pöchhacker, 2004, p.10: citing Otto Kade); and this definition applies for working between spoken and signed texts. This differs from how translation is typically perceived as a text-based event which does not occur in real

time and is potentially correctable as it can be edited and polished until a final product is presented (Lenham, 2005). Despite this distinction in the translation and interpreting literature, the word ‘translator’ is commonly and incorrectly used in the field of health and social care to refer to interpreters working in live mediated events, so we have considered the use of both terms in this review. Additionally, in this review we focus on the work of professional interpreters, which excludes interpreting activities performed by bilinguals who have had no formal training, may interpret or broker on an ad hoc basis, and/or are not remunerated for their work as interpreters (Napier, 2021).

3.3 Search criteria

Table 2: Search inclusion and exclusion criteria

Variable	Inclusion Criteria	Exclusion Criteria
Date range	1 st January 1980 – 31 st March 2022	Literature published before 1980 refers to the preceding MHA of 1959 and likely to catch former legislations elsewhere that are no longer current.
Design/study type	All possible designs and types for academic papers including literature reviews, peer reviewed quantitative, qualitative, and mixed method studies.	None.
Sources	<ul style="list-style-type: none"> • Peer reviewed journal articles. • Pre-prints. • Book chapters. • Grey literature including working papers, statutory guidance, legislation, professional guidance, 	Literature produced by lobbying organisations and groups. Social media posts.

Variable	Inclusion Criteria	Exclusion Criteria
	regulatory/governmental reports. <ul style="list-style-type: none"> • Student doctoral theses. 	
Language	Publications in: <ul style="list-style-type: none"> • English • French • Spanish • German • Dutch • British Sign Language (BSL) • American Sign Language (ASL) • International Sign. [The languages of the study team]	Those outside of the inclusion criteria.
Location	Pertaining to any country and research carried out in any international location.	None.
Focus of Study	<ul style="list-style-type: none"> • The MHA in England and Wales and/or its national or international equivalents AND interpreting and translation within such assessments. • The role of AMHPs in these contexts in relation to practice and outcomes particularly with respect to working with interpreters. • Other language concordant professionals and roles 	<ul style="list-style-type: none"> • General literatures on interpreting and translation in mental health that are not of relevance to statutory contexts. • General research concerning the professional practice in MHAAs and their international equivalents that does not concern interpreting and translation. • Literature focusing on family members associated with

Variable	Inclusion Criteria	Exclusion Criteria
	<p>including cultural advocates in MHAAs and their international equivalents.</p> <ul style="list-style-type: none"> • Signed and/ or spoken language interpreting. 	<p>MHAAs and their international equivalents.</p> <ul style="list-style-type: none"> • Work focusing on discourse analyses. • Items focused primarily on the linguistic aspects of interpreting and translation
Service user group	Adults assessed under the MHA (1983) and its international equivalents who are assessed in circumstances where an interpreter is required.	<ol style="list-style-type: none"> 1. Work concerning children and young people covered by this legislation. 2. Patients undergoing statutory assessments that involve potential deprivation of liberty conditions, but which are not covered by the MHA or international equivalents.
Workforce Roles	<ol style="list-style-type: none"> 1. AMHPs working within the MHA and their international equivalents. 2. Professional interpreter of a spoken or signed language 	<ol style="list-style-type: none"> 1. Family members or friends acting as interpreters. 2. Translators who do not carry out interpreting.

3.4 Search terms and strategy

We entered keyword synonyms using data base thesauri (MeSH entry terms in PubMed) and search terms with database-appropriate syntax, parentheses, Boolean operators AND/OR for search strings, and field codes were specified. We also incorporated equivalents of these terms in the languages specified in our inclusion criteria. The key concepts and synonyms are listed in Table 3; search terms and the Boolean operators used in Table 4.

Table 3: Concepts and descriptors

Statutory Mental Health	Interpreter Mediation
AMHPs	Interpreters
Mental health assessment	Translation
Mental health law	Language Barriers
Compulsory detention	Translators
Sectioning	Co-working

Table 4: Search terms with database-appropriate syntax, parentheses, Boolean operators and field codes

Search Terms and operators (*)	And/Or
Mental Health *	Act
	Law
	Jurisprudence
	Detention
	Assessment
	Best interests
	Compulsory
	AMHP*
	deprivation of liberty
	Equit*access
	Section*
	Language
	Culture
Interpret*	Mental health act
	Mental health assessment
	Mental health law
	Section*
	Interdisciplinary

Search Terms and operators (*)	And/Or
	Interprofessional
	Social work
	Social services
	Social care
	AMHP*
Trans*	Mental health act
	Mental health assessment
	Mental health law
	Section*
	Interdisciplinary
	Interprofessional
	Social work
	Social Care
	Social Services
	AMHP*

The data bases searched were: PubMed, ASSIA (Applied Social Sciences Index and Abstracts) PsycINFO (American Psychological Association), Web of Science (Clarivate), CINAHL (Cumulative Index to Nursing and Allied Health Literature), Social Care Online, and EThOS. Additionally, we searched the online indices of twenty-six specific journals where publications on this topic were likely to be placed across the disciplines of social work, allied health professions, translation and interpreting and sign language/deaf studies as well as subject-specific publisher websites using key terms so we could capture book chapters (see Appendix 1 in Supplemental Material alongside this article for a full list). A targeted search focused on grey literature was largely based on the research team's own professional knowledge encompassing NHS Digital, NHS England, the Care Quality Commission,


legislation and statutory guidance in mental health, professional resources and publications for public sector spoken language interpreters and for signed language interpreters.

3.5 Identification and selection of relevant studies

The online systematic reviews software Covidence was used to assist with the importing and screening of citations. Selection followed a two-stage process: (i) title and abstract screening was carried out by three reviewers (AY, JN, SV). Any item classified 'maybe', or where a conflict of opinion between the reviewers occurred, was subjected to a discussion to reach a consensus of yes or no; (ii) full text screening, by reviewers (AY, RT) with a third (NRV) acting as an independent reviewer to resolve any items classified as 'maybe' or where conflict required further discussion to reach consensus. Screening at both stages required the involvement of a team member with expertise in interpreting and another member with a background in social work in the context of mental health. This professional as well as academic judgement was crucial in ensuring that literature the literature selected was relevant to the questions guiding the review even if not directly addressing statutory mental health assessment. It also allowed for the inclusion of work that was addressing the statutory context from the perspective of mental health professionals where interpreting/translation was highly pertinent but may have been overlooked. The emphasis on identifying "silences" within existing research was crucial when selecting studies. A scoping review, aimed at mapping out areas with limited pre-existing work, offers the flexibility to adopt this approach, which may not be feasible in a systematic review.

Reasons for exclusion at either stage of study selection were recorded. After duplicates were removed, 279 items were identified at stage one screening. 131 were excluded and 148 progressed to full text screening. 104 studies were excluded at this point leaving 44 items which were retained for review (Figure 1).

Figure 1: Prisma ScR flowchart of results



3.6 Charting and tabulation

A bespoke charting template was created in Microsoft Excel combining elements of the charting template available in Covidence, which is more suitable for intervention studies, and one available through the Joanna Briggs Institute (Evans et al., 2019), which encompasses a wider range of study designs and types of literature. The study characteristics charted included: (a) authors, year of publication; (b) category of publication: empirical study, literature review, grey literature, book chapters/book; (c) country of relevance; (d) key findings or main patterns relevant to the review. These categories are reflected in Table 5 below.

4. Results

4.1 Characteristics of included items

Results of the charting phase are presented in Table 5 below. This includes a statement about whether issues of language/communication/interpreting were explicitly included within the article's focus given the relevance of the topic addressed.

4.1.1 Type of literature

Of the forty-four items reviewed in the final stage, twenty-four are grey literature items, ten are empirical studies, six are literature reviews, and four are classified as 'other'.

Amongst the grey literature items, three sub-groups can be differentiated. The first sub-group consists of fifteen items, which are publications by government and statutory bodies (such as the Care Quality Commission). The second sub-group consists of seven professional guidelines documents, with five targeting mental health professionals and two targeting interpreters. The third sub-group consists of two online reports on legal matters by experts in the matter.

Out of the ten items featuring empirical data, seven concern aspects of AMHP professional practice, and three concern interpreters working in mental health contexts. Among these empirical items: one is quantitative in design, one is a retrospective study of patient visits, two are mixed methods, combining surveys, interviews, and focus groups. The remaining six empirical studies follow a qualitative methodology involving interviews with sample sizes ranging from ten to thirty-three participants.

Out of the six literature reviews: two are narrative reviews, two are scoping reviews, and two are systematic reviews. Regarding their thematic scope, two of the reviews concern AMHP practice, and three reviews are about the involvement of interpreters in statutory mental health. Finally, one review concerns ethnic variations in compulsory detention under the MHA.

4.1.2 Geographical coverage

Among the ten empirical items, seven were generated by UK-based universities, one in Ireland, one in the US, and one in South Africa. Regarding the six literature reviews, two had a UK focus, two had a US focus, and two had an international focus. For the seven professional guidelines, four originated in the UK, and three in Australia. The remaining grey literature items, comprising government and statutory bodies' reports, have a UK focus. No items in languages other than English were retrieved.

Table 5: Characteristics of selected items

Author	Geographic coverage	Title	Category	Focus	Findings
#214 ¹ O'Hare et al. (2013)	UK	Implementing mental health law: A comparison of social work practice across	Empirical: Qualitative exploratory using vignettes. 28 participants	The social worker role in implementing mental health law.	Variations in legal and policy frameworks created differing viewpoints among mental health social workers on the implementation of

¹ Numbers following a hashtag reference the original number label in the review software 'Covidence', used to support this review.

Author	Geographic coverage	Title	Category	Focus	Findings
		three jurisdictions			laws in their respective jurisdictions, particularly around risk assessments and intervention. No mention of participants' experience with linguistically and culturally diverse people.
#57 Watson (2016)	England and Wales	Becoming an Approved Mental Health Professional: An analysis of the factors that influence individuals to become Approved Mental Health Professionals	Empirical: 12 qualitative semi structured interviews	The personal, professional, and social factors that influence individuals to become AMHPs.	Career advancement and professional growth, exercising independent judgement and job security, are essential considerations. No mention of language/culture issues.
#212 Davidson et al. (2021)	Northern Ireland	Mental health law assessments: Interagency cooperation and practice complexities	Empirical: Audit. 189 assessments	Routine practice and identification of outstanding issues as a basis for policy and guidance development.	Coordinating professionals, resource pressures, interprofessional collaboration. Language/culture/ethnicity not a concern in policy guidance.
#13 Dixon et al. (2019)	England and Wales	Treading a tightrope: Professional perspectives on balancing the rights of patients and relatives under the MHA in England	Empirical: Questionnaires and focus groups. 55 participants	AMHP interpretations of their legal responsibilities towards the Nearest Relative.	Balancing the rights of people assessed and the Nearest Relative was challenging. No discussion of potential language differences.
#205 Abbott (2021)	England and Wales	A study exploring how social work AMHPs experience assessment under Mental Health Law: Implications for Human Rights-oriented social work practice	Empirical: 11 qualitative interviews.	Experiences of AMHPs in conducting MHAAs and implications of these experiences for human rights-oriented social work practice.	AMHPs face difficulties when attempting to reconcile legal frameworks with a human rights-based approach. Language differences not considered in ethical challenges around the person's <i>voice</i> being diminished during the process of assessment.
#7	England and Wales	Approved Mental Health	Empirical: Mixed methods	The professional identity and	Highlights the importance of

Author	Geographic coverage	Title	Category	Focus	Findings
Hemmington et al. (2021)		Professionals, Best Interest assessors and people with lived experience: An exploration of professional identities and practice	258 AMHPs, 248 BIA assessors. 18 service users/relatives/carers	practice of AMHPs and Best Interests Assessors in relation to people with lived experience of mental health issues.	effective communication and collaboration between mental health professionals and people assessed/Nearest Relative. Does not mention potential relevancy of language/cultural differences.
#145 Zimányi (2013)	Ireland	Somebody has to be in charge of the session. On the control of communication in interpreter-mediated encounters	Empirical: Semi structured qualitative interviews. 11 MH workers 12 Interpreters	The power held by MH professionals and interpreters as illustrated by patterns in communication control behaviours.	Control dynamics between interpreters and MH professionals identified but not in relation to statutory contexts.
#119 Flynn (2013)	USA	Primary care utilization and mental health diagnoses among adult patients requiring interpreters	Empirical: Retrospective secondary data analysis. Adult outpatients (n=63,525)	Utilization patterns of healthcare services and prevalence of mental health diagnoses among adult patients who require interpreters compared to those who do not require interpreters.	Patients needing interpreters had a higher mean number of hospital visits overall, a lower frequency of mental health diagnoses but higher frequency of diagnoses recognised as potential <i>somatic</i> symptoms. No data on statutory MH assessments.
#133 Drennan and Swartz (2002)	South Africa	The paradoxical use of interpreting in psychiatry	Empirical: Ethnographic exploration	The role and influence of interpreters on psychiatric diagnosis and institutional management of patients with other languages.	When no shared language with the clinician: (i) a greater tendency to view the patient as exhibiting cognitive impairment or thought disorder (ii) psychiatrists often used the interpreter's opinion of the patient as a form of clinical assessment. No discussion of involuntary admission.
#11 Simpson (2020)	England and Wales	A structured narrative literature review of Approved Mental Health	Literature review: Narrative	Review of detention decisions by AMHPs	This review highlights risk, accountability, and morality and sub-themes of emotions, intuition, uncertainty,

Author	Geographic coverage	Title	Category	Focus	Findings
		Professional detention decisions: An infusion of morality			coercion, and alternatives (to hospitalisation). No reference to language/culture/ethnicity.
#12 Buckland (2020)	England and Wales	Power as perceived in MHA assessment contexts: A scoping review of the literature	Literature review: Scoping	Participants in MHAAs (assessing team, service users and carers) and power relationships.	MHAAs are frequently characterised by inequality among participants, despite a policy emphasis on collaboration and recovery. Power inequalities in language/culture/ethnicity not discussed.
#229 Flores (2005)	United States	The impact of medical interpreter services on the quality of health care: A systematic review	Literature review: Systematic	The impact of interpreter services on quality of care.	Health care quality is compromised when untrained interpreters in medical encounters with LACD patients, with serious consequences for patients with mental disorders. No discussion of statutory MH assessment.
#42 Fennig and Denov (2001)	International	Interpreters working in mental health settings with refugees: An interdisciplinary scoping review	Literature review: Scoping	Peer-review of 84 studies on interpreters working in MH settings with refugees.	Interpreter provision in MH contexts has a positive impact on refugee clients' quality of care and clinical outcomes. No mention of statutory MH assessments.
#249 Searight and Russell (2013)	United States	Foreign language interpreters in mental health: A literature review and research agenda	Literature review: Narrative	Interpreters in MH settings.	Most of the literature focuses on providing clinical guidelines for interpreters. Discussion of impact of interpreter mediation in accuracy of psychiatric diagnosis but no reference to statutory MH assessments.
#21 Barnett et al. (2019)	International	Ethnic variations – mental health compulsory detention	Literature review: Systematic	Incidence of involuntary detention among BAME and migrant communities in the UK and other parts of the world.	BAME and migrant communities face a higher likelihood of being subjected to psychiatric detention although risk varies among different ethnic groups. This work only focuses on ethnicity and does not

Author	Geographic coverage	Title	Category	Focus	Findings
					address any potential impact of language differences or interpreter utilisation on detention rates. Minor mention of language barriers as a potential explanatory factor for disparities in detention.
#18 Tribe and Lane (2009)	UK	Working with interpreters across language and culture in mental health	Other: Commentary	Challenges and opportunities involved in working with interpreters in MH.	Highlights hospital managers have a statutory duty to provide information to patients and Nearest Relative about detention, consent to treatment, rights of appeal and other legal matters thus providing interpreters if necessary.
#33 Bot (2015)	The Netherlands	Interpreting in mental health care	Other: Book chapter	Interpreters' role and involvement in MH encounters, and joint working dynamics between MH professionals and interpreters.	Interpreters move across a continuum of interaction in psychological therapies and communication with psychotic patients. No mention of statutory MH assessments.
#2 Carney (2021)	England and Wales	MHA assessment, sectioning, Tribunals and Lay Managers' Hearings	Other: Book chapter	Practical guidelines for professionals working with deaf or hard of hearing people in a set of statutory MH settings including MHAAs	In case of language discordancy with a deaf person, the MH professional must work with a registered/experienced interpreter and with a relay interpreter in the case of language dysfluency. Interpreters need to be supported in their preparation. Online interpreters are crucial in assessments where an in-person interpreter might not be provided on time. Good communication must also be provided following the MHAA in the admission process, also the Nearest Relative must be consulted by an

Author	Geographic coverage	Title	Category	Focus	Findings
					AMHP in all cases if practicable.
#193 Wand et al. (2020)	New South Wales, Australia	Working with interpreters in the psychiatric assessment of older adults from culturally and linguistically diverse backgrounds	Other: Commentary	The dynamics involved in working with interpreters in MH assessments of older adults.	Professional interpreters have distinct advantages over ad hoc interpreters in the psychiatric assessment of older adults requiring language mediation, but patients highly value the broader roles that family members may take when acting as interpreters. No mention to how this applies to statutory assessment contexts.
#155 Miletic et al. (2006)	Australia	Guidelines for working effectively with interpreters in mental health settings	Grey literature: professional guidelines	Instructions/suggestions for MH professionals working with interpreters.	Australian MHA states staff must ensure client rights are conveyed through interpreters in a MH environment. These guidelines recognise legal obligations under the MHA (Australia) may take precedence over other factors such as the wishes of the assessed person.
#8 ASLI (2020)	UK	Guidelines for Booking Interpreters in Healthcare Settings during the COVID-19 Pandemic	Grey literature: professional guidelines	Guidelines for HC professionals when working with deaf patients and sign language interpreters during the COVID pandemic.	Within MHC, mention of the special needs of deaf sign language users assessed under the MHA and warns of the potential legal consequences of an incorrect assessment.
#158 Bevan (2018)	UK	Best practice guide for mental health practitioners working with BSL/English interpreters	Grey literature: professional guidelines	Guidelines for MH professionals working with interpreters with the BSL-English	Specific mention made of AMHPs and MHAAs stating that the AMHP must arrange for the booking of an interpreter who is qualified and registered with a governing body with expertise in MH. Special mention made of thought-

Author	Geographic coverage	Title	Category	Focus	Findings
					disordered language requiring particular expertise.
#156 Wilson et al. (2017)	Scotland	2018 Revision of the Mental Welfare Commission for Scotland - Good practice guide: Working with an interpreter	Grey literature: professional guidelines	Guidelines for people involved in interpreter-mediated MH settings	Recognises the need for interpreters and interviewers to work as a team to achieve best outcomes, need to adapt to each context including MH Tribunals.
#328 Gloucestershire county council (2020)	England	Gloucestershire HSC trust – AMHP reporting guidelines	Grey literature: professional guidelines	Document for AMHPs to provide the record of an MHA assessment.	Option to record language ‘normally used’ along with ‘ethnic origin’ and ‘culture’.
#178 Hlavac (2017)	Australia	Mental health interpreting guidelines for interpreters	Grey literature: professional guidelines	Guidelines for interpreters to work optimally in MH interactions.	Definitions of MH terms, protocols, ethical considerations in MH, and list of patients’ rights and legal terms, medico-legal MH tribunals and MH legislation in Australian states, involuntary treatment orders, protection or rights.
#164 ASLIA (2011)	Australia	ASLIA Guidelines for interpreting in mental health settings	Grey literature: professional guidelines	Reframes the ASLIA interpreters’ code of ethics to the specifics of working in mental health settings.	It provides a discussion of how regular interpreting practice ethical principles may develop in MH practice, mentions the need for an interpreter to have a pre-chat (briefing) with the clinician to ascertain the purpose of the session, e.g., involuntary treatment order. No specific discussion of best practice.
#331 NHS England (2020)	England and Wales	Legal guidance for mental health, learning disability and autism, and specialised commissioning services supporting people of all	Grey literature: legal guidance	Guidelines in fulfilling statutory roles and responsibilities during the pandemic in England and Wales as part of the Coronavirus Act 2020.	This guidance, since expired, approved the lawful use of remote assessments during the coronavirus pandemic in some special circumstances. The focus on ‘very limited circumstances’

Author	Geographic coverage	Title	Category	Focus	Findings
		ages during the coronavirus pandemic			suggests that a remote assessment might be deemed unlawful and makes no mention of using (or not) interpreters remotely.
#338 Devon Partnership NHS Trust v Secretary of State for Health and Social Care	England and Wales	England and Wales High Court - Case law on remote assessments	Grey literature: Case law	Revision of guidance on video assessments.	An AMHP must have “personally seen” the person. Aligns with the Code of Practice in that direct personal examination is the preferable method of examination through key phrases such as “personally seen” in s11(5) and “personally examined” in s12(1).
#339 BB v Cygnet Health Care Case Law (2015)	England	England and Wales High Court - Case law on relatives as interpreters	Grey literature: Case law	Inadequate consultation with Nearest Relative.	Questions the practice of an ASW (AMHP predecessor) of using a relative as interpreter
#16 Department of Health (2009)	UK (England)	Delivering Race Equality in mental health care: A review	Grey literature: Government report	Reports the work of the 5 year ‘Delivering Race Equality’ programme in England as it ends.	Provides an example of culturally appropriate services for psychosis acknowledging that some [people] revert to their own language to be able to express a particular thought or feeling and a second example of access to therapeutic services through use of interpreters. Neither are specific to MHA assessment.
#4 UK Government (2021)	UK (England and Wales)	Consultation outcome: Reforming the MHA	Grey: Government paper	Summary of Government proposals for review of MHA including policy and practice to improve the patient experience and a response to the independent review of the MHA.	Acknowledged some new ways of working since the pandemic including remote video consultation where appropriate and gives example of Second Opinion Doctor consultation. States Government’s wish to launch a programme of culturally appropriate advocates to better

Author	Geographic coverage	Title	Category	Focus	Findings
					help those from all ethnic minority backgrounds to voice their individual needs but no specific mention of language or communication needs
#327 Care Quality Commission (2015)		MHA Code of Practice 2015 – An evaluation of how the Code is being used.	Grey: Regulatory body report	Evaluation of how Code of Practice (Department of Health, 2015) is being used.	CoP is still not being used as intended and there is variation in provider understanding of it and how it should be used. Recommends development of standardised resources for patients, carers and staff, promoting the Code's principles of accessibility. Recommends learning from the Welsh Code of Practice's emphasis on evidence-based practice should underpin all learning.
#329 Care Quality Commission (2020)	England	Monitoring the Mental Health Act 2018/2019	Grey: national regulator report.	Annual audit of the use of the MHA reporting characteristics of those assessed, outcomes of assessment and data about the AMHP workforce.	No data are reported or required to be reported on the language(s) used during the MHA assessment, whether an interpreter, cultural advocate or any other language concordant professional was used. Ethnicity/cultural identity of the person assessed is recorded.
#333 Care Quality Commission (2022)	England	Monitoring the Mental Health Act in 2020/21	Grey: national regulator report.	Annual audit (update) of the use of the MHA reporting characteristics of those assessed, outcomes of assessment and data about the AMHP workforce.	No data are reported or required to be reported on the language(s) used during the MHA assessment, whether an interpreter, cultural advocate or any other language concordant professional was used. Ethnicity/cultural

Author	Geographic coverage	Title	Category	Focus	Findings
					identity of the person assessed is recorded.
#337 Department of Health (2008)	England	Code of Practice Mental Health Act 1983	Grey: Government report	Statutory guidance for mental health professional in carrying out their duties and powers under the MHA 1983	Includes specific guidance on the requirement to interview 'in a suitable manner', allows for the provision of cultural advocates and relay interpreters, offers specific guidance with respect to deaf BSL users during assessments. Does not include any similar extended guidance for those who require a spoken language interpreter.
#326 Department of Health (2015)	England	Code of Practice Mental Health Act 1983	Grey: Government report	Statutory guidance for mental health professional in carrying out their duties and powers under the MHA 1983.	Includes specific guidance on the requirement to interview 'in a suitable manner', allows for the provision of cultural advocates and relay interpreters, offers specific guidance with respect to deaf BSL users during assessments. Does not include any similar extended guidance for those who require a spoken language interpreter.
#342 Welsh Assembly government (2008)	Wales	Code of Practice Mental Health Act 1983 for Wales	Grey: Statutory professional code of practice	Statutory guidance for mental health professional in carrying out their duties and powers under the MHA 1983 for Wales.	Includes specific guidance where a person's language is other than English or Welsh that assessment should be delivered through a trained interpreter who will address issues of both language and cultural interpretation, including use of BSL. If an interpreter is needed this should not normally be a relative or friend. Recommends support of an interpreter alongside an IMHA

Author	Geographic coverage	Title	Category	Focus	Findings
					where there is a communication need.
#343 Welsh Assembly Government (2016)	Wales	Mental Health Act (1983) Code of Practice for Wales review	Grey: Statutory Code of Practice	Reviews the MHA 1983 Code of Practice for Wales – 2016 version.	‘Every effort should be made’ to provide a registered, qualified interpreter, if needed. Considers special expertise involved in interpreting thought-disordered language. Sets out professional and ethical principles for interpreters in MHAAs. Professionals should be aware immigration detainees may be particularly vulnerable and may need additional support, including reasonable adjustments including interpreter involvement.
#5 UK government (2018)	England and Wales	Modernising the Mental Health Act	Grey: Government initiated review report	Brings together and reports on the work of the Independent Review of MHA.	Finds that some service users may need assistance to express their views and preferences. Calls for more research into the understanding of the lived experience of communities who are disproportionately detained. Refers to one AMHP’s evidence of the experience of refugees and asylum seekers whose first language is not English.
#341 UK Parliament (2023) Joint Committee on the Draft Mental Health Bill	England	Draft Mental Health Bill 2022 - Report of the Joint Consultative Committee	Grey: Government report	Brings together work of the Joint Consultative Committee set up to review the draft mental health bill. Provides recommendations to the UK government.	Refers to one piece of oral evidence of the need to provide interpreters who understand cultural needs too but not followed up in recommendations.

Author	Geographic coverage	Title	Category	Focus	Findings
#340 Department of Health and Social Care and Ministry of Justice of UK Government (2022)	England	Draft Mental Health Bill	Grey: Government report	Makes provision to amend and 'modernise' the MHA (1983).	No specific reference to interpreters.
#3 Smith (2021)	England and Wales	Government drops proposed overhaul of MHA-Mental Capacity Act interface due to 'very limited support'	Grey: Report in the professional press online General public	Reviews the (lack of) reform of MHA legislation.	Lack of support for change in MH legislation. Consequences: Remote assessments will continue to be unlawful (it does not clarify whether interpreting services can be provided remotely). Concludes that further work on reforming the MHA must be conducted in particular to introduce legislation that addresses disproportionate detentions of individuals with BME backgrounds. Does not mention how language might contribute to those disparities.
#6 Carter (2021)	England and Wales	Video assessments by AMHPs unlawful	Grey: Report in the professional press online of a statutory review	Reports the outcome of a legal challenge to the Coronavirus easements that had permitted video, remote, online assessments under the MHA.	The 'Devon Ruling' concluded that the online remote video assessment under the MHA is unlawful. This ruling did not go as far to say any online interpreting without the interpreter being present is unlawful.
#334 NHS Digital (2002)	England and Wales	Government annual report	Grey	Reports the characteristics of those assessed under the MHA and reviews annual figures against previous years to identify trends.	No data are required to be reported on the language(s) used during the MHA assessment, whether an interpreter, cultural advocate or any other language concordant professional was used. Ethnicity/cultural

Author	Geographic coverage	Title	Category	Focus	Findings
					identity of the person assessed is recorded.

5. Narrative synthesis of findings

We adopted the PAGER framework (Bradbury-Jones et al., 2022) to assist in the narrative synthesis of findings and their presentation. This tool was designed as a structured approach for synthesizing and articulating the findings of a scoping review. PAGER offers a clear structure whereby each item is considered under the headings of: ‘Patterns’, ‘Advances’, ‘Gaps’, ‘Evidence for practice’ and ‘Recommendations’, thus ensuring an organised synthesis of the literature mapped out. PAGER is especially suited to scoping reviews focusing on issues related to professional practice through its emphasis on identifying advances and gaps in the empirical and practice-oriented literature that require further research action. The PAGER framework goes beyond merely identifying themes by meticulously examining the contextual factors that influence how themes emerge, interact, and are perceived from different perspectives. For a detailed methodological overview on how PAGER accomplishes this, please refer to Bradbury-Jones et al. (2022).

The complete PAGER table can be found in Appendix 2 in the Supplemental Material alongside this article. The elements in this table assisted in the articulation of the main findings, set out below, where three main patterns concentrated around: (1) interpreter-mediated MHAAs as a missing focus; (2) implications of interpreting in statutory circumstances not being recognised; and (3) a lack of consideration of the impact of language mediation in contemporary AMHP practice. A descriptive narrative was constructed around these three main patterns to map out the key themes and represent their prominence in the literature. By articulating these patterns in detail, nuances highlighting advances or gaps in

the field were identified, providing an overview of the current state of research and practice in interpreter-mediated statutory mental health assessments.

5.1. Interpreter-mediated MHAAs as a missing focus

A major finding of this review is that there is the absence of pre-existing literature specifically investigating interpreter-mediated Mental Health Act assessments, or their international equivalents, regarding either practice or their impact on outcomes.

. The articles that have a broad focus on mental health interpreting do not generally include extensive, if any, references to involvement of interpreters in situations of compulsory detention or emergency practice under the law. And even when such references are made, they are usually brief and peripheral; for example, Tribe and Lane's (2009) reference to duties to provide linguistically accessible information to those detained. Articles focusing on issues of AMHP practice, for example, Leah (2019), Vicary, et al. (2019), Abbot (2021), Karban, et al. (2021) fail to include any consideration of how linguistic or cultural mediation might be relevant to their key findings. The absence of research evidence with a specific focus on the practice of interpreter-mediated MHAAs creates a misleading perception that all MHAAs take place within a monolingual context with shared language usage.

The failure to recognise the effects and potential influence of language on MHAA practice and outcomes, separate from those of cultural and/or ethnic identity, is widespread. The lack of regular reporting data on the language identities and language use of those assessed (NHS Digital, 2022a), and whether interpreters or other language concordant professionals were required is stark. It could be argued that this illustrates a lack of emphasis on considering the language preferences of the person being assessed and the assessment process as potential sources of inequality within the MHA assessment process. This failure to attend to language differences is reinforced in the literatures surrounding the reforms to the MHA with language

considerations only featuring with respect to translations of written texts/information for patients or special considerations for those who are deaf (UK Parliament, 2023). In the most recent report from the Joint Consultative Committee on the Draft Mental Health Bill (2023), the body set up to scrutinise the draft mental health bill, the brief mentions of interpreting are subsumed under considerations of advocacy for the person assessed, rather than identified in their own right (UK Parliament, 2023).

The diminishment of the potential influence of interpreter mediation on the practice and outcomes of MHAAs is systemic. For example, the temporary allowances under the Coronavirus Act 2020 in the UK that briefly permitted remote MHAAs were eventually judged unlawful in part because of the negative impact on judgements, interaction and communication (see NHS England, 2022). Remote interpreting is still widely practiced in MHAAs (Young et al., 2023). However, the impact of a ‘disembodied voice’ during an assessment on someone already experiencing mental health distress, which could result in the deprivation of liberty, remains unquestioned: Why are questions regarding the legality of remote assessments not being extended to remote interpreting? This is an area of practice research that clearly requires further work. The gap in the evidence-based practice literature, practice guidance and statutory reporting is not limited to the UK alone. This lack of attention extends internationally, making the scarcity of research directly in this area a matter of global concern.

A second aspect related to ‘interpreter-mediated MHAAs as a missing focus’ concerns the characteristics of the available literature and the clear scarcity of empirical studies relating to interpreter mediation in MHAAs and their equivalents. Empirical research plays a vital role in advancing knowledge and the absence of it limits the ability to draw evidence-based or evidence-informed recommendations for practice. While numerous guidance documents, both statutory and non-statutory, emphasise the need for best practices, including proper

assessments as required by legislation, the preference for professionally qualified interpreters, and the duty to make provisions for them (ASLIA, 2011; Carney, 2021; Department of Health, 2015, Department of Health, 2008; Hlavac, 2017; Welsh Assembly Government, 2008), these documents do not constitute an evidence base for practice, neither for interpreters nor for AMHPs.

5.2 The implications of interpreting in statutory circumstances not being recognised

The findings of this review suggest that the prevailing body of research in interpreting studies does not adequately distinguish research, guidelines or practice recommendations that apply in mental health statutory contexts, such as the MHA, from general work on interpreting in mental health. Most of the literature available refers to interpreter mediation in psychotherapeutic (Bot, 2015) or psychiatric (Drennan and Swartz, 2002; Wand, 2020) practice whether in assessment, evaluation or treatment and therefore does not recognise distinctive issues at stake in statutory assessments. This applies both to empirical studies and professional guidelines. Some of the issues prevailing in existing mental health interpreting literature include (i) the interpreters' role, agency and visibility including ethical dilemmas in relation to those, (ii) links between language, culture, and mental health, (iii) challenges around ensuring accuracy in mental health, e.g., in the case of cross-cultural equivalents, (iv) the impact of language mediation on mental health practice including assessments and (v) interpersonal dynamics. In the literature reviewed, none of these issues is addressed in the context of MHAAs and the special conditions that may pertain to emergency or statutory practice under the law. As a result, this scoping review highlights the need for research that explores how long-standing debates and current expertise in the field of interpreting studies, particularly mental health interpreting, apply to statutory mental health assessments and, by extension, to other statutory practices. Such research would lead to generating new insights and perspectives on the topic which would, in turn, advance the field of interpreting studies.

The contribution of this area of work to interpreting studies lies in the unique challenges presented by interpreting within statutory mental health, such as interpreting complex legal terminology, the role, responsibilities, and powers of professionals conducting MHAAs, and the interpreting of potentially disordered language output of people severely affected by mental health conditions, all within the context of potential involuntary detention under the law.

This lack of recognition of the particular nature of mental health interpreting in relation to statutory mental health contexts such as MHAAs is also present in existing guidance for interpreters. Some do mention special legal considerations and associated concepts, or ethical considerations that might be pertinent to MHAAs (ASLIA 2011; 2020; Hlavac, 2017), however, they do not comprehensively address the unique considerations, procedures, and challenges encountered in statutory mental health assessment under whatever jurisdiction. The absence of detailed guidance for interpreters in situations of mental health crises and collaboration with professionals under legal obligations poses a challenge. The scarcity of explicit practice frameworks may impact interpreters, given that there is not sufficient guidance to support their decision-making in this context and thus compromising the overall quality of the assessment process, particularly in relation to legal aspects. Additionally, the lack of existing literature raises concerns regarding the preparation, training, and support provided to interpreters working in statutory mental health contexts, including the absence of these matters within generic interpreter training programmes. Building on this point, when discussing the need for interpreters to have knowledge and skills that extend beyond conventional interpreting competencies to effectively work in specialised mental health contexts, it is worth acknowledging recent developments in the area of trauma-informed interpreting. This approach calls for recognition of the impact of trauma on individuals' behaviour and linguistic output, including thought-disordered language, and encourages

interpreters to apply trauma-informed principles to their work (Bancroft, 2017; González-Campanella, 2022).

This scoping review also identified a lack of literature on the need for collaborative working practices between AMHPs (or equivalents) and interpreters in MHAAs (or equivalents). This is important because there is some evidence (from non-statutory mental health services) to suggest that interprofessional collaboration between mental health practitioners and interpreters can lead to positive outcomes (Gryesten et al., 2023). However, there is a gap in the existing literature on the specific strategies and techniques that AMHPs and interpreters can use to effectively collaborate during MHAAs, in which the legal aspect is especially salient. Moving beyond academic literature and guidelines, statutory documents paint a similar picture: while the statutory code of practice accompanying the MHA (Care Quality Commission, 2015; Department of Health, 2008; Department of Health, 2015; Welsh Assembly Government, 2008; Welsh Assembly Government, 2016) does offer certain guidance regarding situations that call for the involvement of an interpreter, it falls short of providing specific instructions on how AMHPs can effectively collaborate with interpreters. The existing guidance primarily focuses on determining when interpreter assistance is required, rather than offering specific guidance on optimising the working relationship between AMHPs and interpreters. The lack of guidance that AMHPs may experience when conducting assessments through an interpreter, assumptions that might be made regarding the interpreters' level of knowledge about core legal concepts and their implications, for instance, will require carefully considered practice responses. Guidance that supports AMHPs to jointly navigate the complexities of meaning making in MHAAs as opposed to viewing interpreting as a bolt-on mechanism, or a 'conduit', would not only enhance AMHP confidence in interviewing 'in a suitable manner' and reaching a decision on outcomes, but would also have associated benefits for the experience of people assessed.

5.3 Lack of consideration of impact of language mediation in contemporary AMHP practice

The parameters of the scoping review include available empirical research on the challenges involved in AMHPs' professional practice, in order to identify the extent to which challenges associated with language mediation might be recognised. It was notable to find that challenges associated with the need for language mediation have been largely overlooked in the existing body of research that focuses on contemporary AMHP practice.

The current literature predominantly focuses on various challenges that AMHPs encounter in their work, such as effectively managing risks (Simpson, 2020), navigating complex legal frameworks (Abbott, 2021; Fish, 2022), safeguarding the rights and autonomy of individuals undergoing assessment and rights of the Nearest Relative (Dixon et al., 2019), and fostering collaborative relationships with other professionals during the coordination of MHAAs (Davidson et al., 2021). These studies shed light on AMHPs' awareness of the ethical dilemmas inherent in wielding statutory powers, including striking a balance between autonomy and safety, managing power dynamics, managing the complexities of their coordinating role, and grappling with time constraints.

It was notable that in all these studies, which admittedly had a different focus than our topic of interest, there was not even a passing consideration given to whether and how the points being made might be impacted by practice that is not monolingual. This absence is remarkable given that previous research has found that language mediation might challenge standard communicative practices in social work in ways that practitioners do not have the resources to address affectively (Tipton, 2016). The specific challenges faced by AMHPs in such interpreter-mediated assessments are multifaceted. The presence of interpreters introduces a layer of complexity for AMHPs that can impact the accuracy and reliability of information exchanged. A higher potential for misinterpretations, omissions, or

misunderstandings can occur, potentially compromising the overall assessment process and subsequent decision-making. This is particularly salient in the case of acute mental health: for example, the MHA Code of Practice (Section 14.116-117) states that the AMHP involved in the assessment should be responsible for booking and using registered qualified interpreters with expertise in mental health interpreting, bearing in mind that the interpretation of thought-disordered language requires “particular expertise”. However, the specific skills and expertise required to effectively interpret thought-disordered language, particularly in the context of an MHAA, are not thoroughly examined in the existing body of knowledge.

Thought-disordered language, occasionally observed in individuals with severe mental health conditions (Caplan, 2009), is likely to pose unique challenges for interpreters because of the complex and sometimes fragmented nature of the language use. Understanding and accurately conveying the meaning and intent of such language calls for specialised expertise that goes beyond general language interpretation skills and beyond generic AMHP training. However, the literature lacks comprehensive exploration of the specific competencies, training, and qualifications that interpreters and AMHPs need to possess in order to jointly address thought-disordered language within the context of MHAAs. By addressing this gap in the literature, further research could expand on the practical implications of the MHA Code of Practice’s provisions related to interpreter selection and utilisation with a focus on effective collaborative practice.

Whilst some of the AMHP-related practice research focuses on power inequalities in MHAAs (Buckland, 2020), this is only considered in monolingual contexts, which itself is not acknowledged in the literature. The AMHP, as the primary decision-maker in the assessment, is identified as holding a position of power. However, how the presence of an interpreter introduces an additional layer of complexity to the assessment process, influencing the distribution of power among the various participants involved, remains unaddressed. This is

important because power is connected to the notion of 'voice', understood to mean the expression of one's wishes and feelings and that might have an influence on a person's mental state and behaviour. In the context of MHAAs, a crucial aspect of the AMHPs' responsibility is to distinctly discern, in adherence to legal mandates, the options aligned with the principle of the 'least restrictive alternative' during the assessment process. Interpreter mediation introduces an additional layer of communication that either enables or constrains the service user's voice and how it might be understood. Surprisingly, this crucial aspect has not been comprehensively explored in the existing literature concerning one of the most profound civil law powers, which allows the deprivation of an individual's liberty. Attention to the availability and proficiency of interpreters and the challenges these pose for AMHPs is also absent. This is salient because, in accordance with the MHA Code of Practice, AMHPs are responsible for organising interpretation. AMHPs are also charged with engaging with an assessed person's Nearest Relative to ascertain whether they have an objection to the person's detention under the MHA. The available literature that discusses this role does not mention any complexities that might arise if the AMHP and Nearest Relative or wider family do not share the same language (Dixon et al., 2019; Hemmington et al., 2021). However, previous research on social work with interpreters has identified difficulties that social workers might have in liaising with families of service users who use a language other than English, even when interpreters are involved (Pollock, 2023). In sum, the way in which interpreting adds further complexity to current practice concerns is largely absent from the current body of knowledge.

6. Concluding remarks

This scoping review set out to answer two research questions about the state of knowledge concerning interpreter-mediated statutory mental health assessments, specifically MHAAs. The first question concerned the enablers and barriers to good practice for AMHPs and interpreters in MHAAs. The main finding of this review is the almost total absence of the consideration of interpreter mediation in empirical research on MHAAs and the lack of evidence-based guidance for practice. Building on this idea, the absence of evidence highlights the potential catalysts for improving practice which may include a focus on fostering collaborative interprofessional teamwork, jointly involving interpreters and mental health professionals. Additionally, exploring how and why the unique circumstances of statutory work within the mental health field may differ from conventional mental health interpreting practice is essential. Finally, it is crucial to examine how key considerations in AMHP practice, such as power dynamics and voice, can adapt to, or be influenced by, the additional layer of working with interpreters.

The second question for this review set out to explore how interpreter mediation supports or impedes the legal rights and best interests of individuals assessed under the MHA or its international equivalents. Our principal finding is that none of the literature items we identified addressed this as an issue in its own right beyond guidance of when interpreters should be provided, and the rights of the individual to have access to high-quality interpretation. There is no direct evidence from practice and no clarity that evidence from related contexts, including mental health interpreting more generally, is adequately relevant to the very particular practice circumstances of MHAAs.

When considering the characteristics of the literature items identified, an unanticipated finding is the lack of transdisciplinary approaches across the fields of interpreting studies and

health/social care in this context. This literature review has brought together relevant literature items from the fields of social work and interpreting studies that address overlapping points in the context of MHAAs or equivalents. By synthesising the insights from both disciplines, this review sought to highlight the interconnections and shared perspectives that can contribute to a more comprehensive understanding of interpreter-mediated MHAAs. The findings suggest that while both fields have valuable perspectives to offer, both bodies of knowledge appear to operate separately. The lack of cross-fertilisation hinders the development of a comprehensive understanding and approach to interpreter-mediated MHAAs. This gap in interdisciplinary research likely points to limited opportunities for interprofessional collaboration and training. Social workers and interpreters typically work in separate organisational structures, with little opportunity for collaboration or joint training. This can result in social workers and interpreters having limited knowledge of each other's roles and responsibilities, leading to potential misunderstandings and challenges in completing effective MHAAs or failure to conduct them in a suitable manner.

This review marks the initial phase of the INForMHAA project and serves as the foundational step toward addressing the identified gap in practice-based research and aims to offer tailored guidance and training resources for AMHPs and interpreters in this field. This review makes several contributions to interpreting studies: it draws attention to a highly specialised area of mental health interpreting; it exemplifies the value of value of scoping reviews in cross-disciplinary studies on interpreting; it encompasses both signed and spoken language interpreting within a common focus of inquiry and it lays the groundwork for a systemic exploration of this topic in different national contexts, thereby facilitating future cross-national comparisons across countries with different legislative frameworks and healthcare systems, thus increasing understanding on mental health interpreting practices globally.

Having acknowledged its contribution, it is also important to recognise the limitations of this scoping review to guide future reviews on interpreter-mediated statutory mental health assessments or similar topics. For instance, the breadth-over-depth approach of this scoping review means that nuanced aspects of interpreter-mediated MHAAs may have been overlooked. Additionally, an exhaustive quality assessment of the selected items was not provided, potentially limiting the ability to critically evaluate the quality of the evidence base. Addressing these limitations could enhance the robustness of future literature reviews in this field or similar ones.

Funding

This work was funded by the NIHR School for Social Care Research grant number REF# P172. The views expressed in the article are not necessarily those of the funder.

Conflicts of Interest: There is no conflict of interest in this project.

References

- Abbot, S. (2021). A study exploring how social work AMHPs experience assessment under mental health law: implications for human rights-oriented social work practice. *British Journal of Social Work*, 52(4), 1362–1379. <https://doi.org/10.1093/bjsw/bcab145>
- Australian Sign Language Interpreters' Association, ASLIA, (2011). *Guidelines for interpreting in mental health settings*. <https://aslia.com.au/wp-content/uploads/ASLIA-Mental-Health-Guidelines.pdf>
- Arksey, H., O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- ASLI - Association of Sign Language Interpreters (2020). *Guidelines for booking interpreters in healthcare settings during the COVID-19 pandemic*. <https://asli.org.uk/wp-content/uploads/2020/06/Best-Practice-for-Booking-Interpreters-in-Healthcare-settings-during-Covid-19-FINAL.pdf>
- Barnett, P., Mackay, E., Matthews, H., Gate, R., Greenwood, H., Ariyo, K., Bhui, K., Halvorsrud, K., Pilling, S., and Smith, S. (2019). Ethnic variations in compulsory detention under the Mental Health Act: a systematic review and meta-analysis of international data. *Lancet Psychiatry*, 6(4), 305-317. [https://doi.org/10.1016/S2215-0366\(19\)30027-6](https://doi.org/10.1016/S2215-0366(19)30027-6)
- BB v Cygnet Health Care. (2015). Case Law BB v Cygnet Health Care [2008] EWHC 1259. [https://www.mentalhealthlaw.co.uk/BB_v_Cygnet_Health_Care_\(2008\)_EWHC_1259_\(Admin\)](https://www.mentalhealthlaw.co.uk/BB_v_Cygnet_Health_Care_(2008)_EWHC_1259_(Admin))
- Bevan, E. R. (2018). *ASLI Best practice guide for mental health practitioners working with BSL/English interpreters* <https://asli.org.uk/wp-content/uploads/2018/03/MHIBP.-FINAL.pdf>
- Bot, H. (2015). Interpreting in mental health care. In H. Mikkelsen, R. Jourdenais, and J. Baigori Jalón (Eds.), *The Routledge handbook of interpreting* (pp. 254–264). Routledge.
- Brisset, C., Leanza, Y., and Laforest, K. (2013). Working with interpreters in health care: A systematic review and meta-ethnography of qualitative studies. *Patient Education and Counseling*, 91(2), 131–40. <https://doi.org/10.1016/j.pec.2012.11.008>
- Boyles, J., and Talbot, N. (2017). *Working with interpreters in psychological therapy*. Routledge.
- Bradbury-Jones, C., Aveyard, H., Herber, O. R., Isham, L., Taylor, J., and O'Malley, L. (2022). Scoping reviews: The PAGER framework for improving the quality of reporting. *International Journal of Social Research Methodology*, 25(4), 457–470. <https://doi.org/10.1080/13645579.2021.1899596>

- Buckland, R. (2020). Power as perceived in MHA assessment contexts: A scoping review of the literature, *Practice*, 32(4), 253–267.
<https://doi.org/10.1080/09503153.2020.1782872>
- Cambridge, J., Singh, S., and Johnson, M. (2012). The need for measurable standards in mental health interpreting: A neglected area. *The Psychiatrist*, 36, 121–124.
<https://doi.org/10.1192/pb.bp.110.031211>
- Caplan, R. (2009). Cognitive dysfunction and other comorbidities. *Language and communication disorders*. Elsevier eBooks (pp. 176–180).
<https://doi.org/10.1016/b978-012373961-2.00042-4>
- Care Quality Commission (2015). *MHA Code of Practice 2015 – An evaluation of how the Code is being used*. https://www.cqc.org.uk/sites/default/files/20190625_mhacop-report.pdf
- Care Quality Commission (2022). *Monitoring the Mental Health Act*.
<https://www.cqc.org.uk/publications/monitoring-mental-health-act>
- Care Quality Commission (2020). *Monitoring the Mental Health Act 2018/2019*
https://assets.publishing.service.gov.uk/media/5e3aa67640f0b6090fbc967/Monitoring_the_Mental_Health_Act_in_2018_to_2019_web.pdf
- Care Quality Commission (2022). *Monitoring the Mental Health Act in 2020/21*.
<https://www.cqc.org.uk/publications/monitoring-mental-health-act/2020-2021>
- Casas, R., Edmarie Guzmán-Vélez, J., Cardona-Rodriguez, N., Rodriguez, G. Q., Borja I., Tranel, D. (2012). Interpreter-mediated neuropsychological testing of monolingual Spanish speakers. *The Clinical Neuropsychologist*, 26(1), 88–101.
<https://doi.org/10.1080/13854046.2011.640641>
- Carney, A. (2021). Mental Health Act assessment, sectioning, tribunals and lay managers’ hearings. In S. Austen and B. Holmes (Eds.), *An introductory guide for professionals working with deaf and hard of hearing clients in clinical, legal, educational and social care settings*. Independently published.
- Carter, C. (2021). Video assessments by AMHPs unlawful, High Court rules. *Community Care*. <https://www.communitycare.co.uk/2021/01/27/video-assessments-amhps-unlawful-high-court-rules/>
- Costa, B. (2022). Interpreter-mediated CBT – a practical implementation guide for working with spoken language interpreters. *The Cognitive Behaviour Therapist*, 15, E8.
<https://doi.org/10.1017/S1754470X2200006X>
- Davidson, G., Fargas, M., Hamilton, B., Connaughty, K., Harvey, K., Lynch, G., McCartan, D., McCosker, J., and Scott, J. (2021). Mental health law assessments: Interagency cooperation and practice complexities. *Journal of Mental Health*, 30(1), 74–79.
<https://doi.org/10.1080/09638237.2019.1630721>

- Devon Partnership NHS Trust v SSHSC (2021). EWHC 101. Case Law.
[https://www.mentalhealthlaw.co.uk/Devon_Partnership_NHS_Trust_v_SSHSC_\(2021\)_EWHC_101_\(Admin\)](https://www.mentalhealthlaw.co.uk/Devon_Partnership_NHS_Trust_v_SSHSC_(2021)_EWHC_101_(Admin))
- Department of Health (2008). *Mental Health Act 1983: Code of practice*.
<https://www.legislation.gov.uk/ukxi/2014/2936/contents/made>
- Department of Health (2009). *Delivering race equality in mental health care. Race Equality action plan, a five year review*.
https://data.parliament.uk/DepositedPapers/Files/DEP2014-0975/PQ202552_PQ202500_-_Report.pdf
- Department of Health (2015). *Mental Health Act 1983: Code of practice*.
https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/435512/MHA_Code_of_Practice.PDF
- Department of Health and Social Care and Ministry of Justice of UK Government (2022). *Draft Mental Health Bill*. <https://www.gov.uk/government/publications/draft-mental-health-bill-2022>
- Department of Health and Social Care. (2024). *Government response to the Joint Committee on the draft Mental Health Bill*. GOV.UK.
<https://www.gov.uk/government/publications/government-response-to-the-joint-committee-on-the-draft-mental-health-bill>
- Dixon, J., Wilkinson-Tough, M., Stone, K., and Laing, J. (2020). Treading a tightrope: Professional perspectives on balancing the rights of patient's and relatives under the Mental Health Act in England. *Health and Social Care Community*, 28(1):300–308.
<https://doi.org/10.1111/hsc.12864>
- Drennan, G., and Swartz, L. (2002). The paradoxical use of interpreting in psychiatry. *Social Science and Medicine*, 54(12), 1853–1866. [https://doi.org/10.1016/s0277-9536\(01\)00153-8](https://doi.org/10.1016/s0277-9536(01)00153-8)
- Evans, C., Tweheyo, R. and McGarry, J. (2019). Improving care for women and girls who have undergone female genital mutilation/cutting: qualitative systematic reviews. Southampton (UK): *NIHR Journals Library*.
<https://www.ncbi.nlm.nih.gov/books/NBK546402/>
- Fennig, M., and Denov, M. (2021). Interpreters working in mental health settings with refugees: An interdisciplinary scoping review. *American Journal of Orthopsychiatry*, 91(1), 50–65. <https://doi.org/10.1037/ort0000518>
- Fish, J. L. H. (2022). The lost social perspective: relocating the social perspective in approved mental health practice and the Mental Health Act 1983. *Journal of Social Welfare and Family Law*, 44(1), 3–21.
<https://doi.org/10.1080/09649069.2022.2028391>

- Fistein, E. C., Holland, A. J., Clare, I.C.H., and Gunn, M. J. (2009). Comparison of mental health legislation from diverse Commonwealth jurisdictions. *The International Journal of Law and Psychiatry*, 32(3), 147–55. <http://dx.doi.org/10.1016/j.ijlp.2009.02.006>
- Flores, G. (2005). The impact of medical interpreter services on the quality of health care: A systematic review. *Medical Care Research and Review*, 62(3), 255–299. <https://doi.org/10.1177/1077558705275416>
- Flynn, P. M., Ridgeway, J. L., Wieland, M. L., Williams, M. D., Haas, L. R., Kremers, W. K., and Breitkopf, C. R. (2013). Primary care utilization and mental health diagnoses among adult patients requiring interpreters: A retrospective cohort study. *The Journal of General Internal Medicine*, 28(3), 386–391. <https://doi.org/10.1007/s11606-012-2159-5>
- Geiling, A., Knaevelsrud, C., Böttche, M., and Stammel, N. (2021). Mental health and work experiences of interpreters in the mental health care of refugees: A systematic review. *Frontiers in Psychiatry*, 12, 1–15. <https://doi.org/10.3389/fpsy.2021.643720>
- Gloucestershire County Council (2020). *Gloucestershire HSC trust – AMHP reporting guidelines* <https://www.gloucestershire.gov.uk/media/tbfmtogs/amhp-report-guidance-2020.pdf>
- Grant, M. J., and Booth, A. (2009). A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Information and Libraries Journal*, 26(2), 91–108. <https://doi.org/10.1111/j.1471-1842.2009.00848.x>
- Gryesten, J. R., Brodersen, K. J., Lindberg, L. G., Carlsson, J., and Poulsen, S. (2023). Interpreter-mediated psychotherapy: A qualitative analysis of the interprofessional collaboration between psychologists and interpreters. *Current Psychology*, 42(4), 1420–1433. <https://doi.org/10.1007/s12144-021-01345-y>
- HC/HL (2023). *Joint committee on the draft mental health bill report of session 2022 -2023*. <https://committees.parliament.uk/committee/605/joint-committee-on-the-draft-mental-health-bill/>
- Hemmington, J., Graham, M., Marshall A., Brammer, A., Stone, K., and Vicary, S. (2021). *Approved Mental Health Professionals, Best interests assessors and people with lived experience*. Report for Social Work England. University of Central Lancashire.
- Hlavac, J. (2017). *Mental health interpreting guidelines for interpreters*. Monash University.
- Hsieh, E., Pitaloka, D., and Johnson, A. J. (2013). Bilingual health communication: Distinctive needs of providers from five specialties. *Health Communication*, 28(6), 557–567. <https://doi.org/10.1080/10410236.2012.691098>
- Jones, R. (1991). *Mental Health Act manual*. Sweet and Maxwell.
- Karban, K., Sparkes, T., Benson, S., Kilyon, J., and Lawrence J. (2021). Accounting for social perspectives: An exploratory study of Approved Mental Health Professional

practice. *The British Journal of Social Work*, 51(1), 187–204.
<https://doi.org/10.1093/bjsw/bcaa037>

Krystallidou, D., Vaes, L., Devisch, I., Wens, J., and Pype, P. (2020). Study protocol of OncoTolk: An observational study on communication problems in language mediated consultations with migrant oncology patients in Flanders (Belgium). *BMJ Open*, 10(6), e034426. <http://dx.doi.org/10.1136/bmjopen-2019-034426>

Leah, C. (2019). Approved Mental Health Professionals: A jack of all trades? Hybrid professional roles within a mental health occupation. *Qualitative Social Work*, 19(5) 987–1006. <https://doi.org/10.1177/1473325019873385>

Levac, D., Colquhoun, H., and O'Brien, K. K. (2010). Scoping studies: Advancing the methodology. *Implementation Science*, 5(1), Article 69.

Luk, S. (2008). Overcoming language barriers in psychiatric practice: Culturally sensitive and effective use of interpreters. *Journal of Immigrant and Refugee Studies*, 6(4), 545–566. <https://doi.org/10.1080/15362940802480589>

Mental Capacity Act (2005). (c. 9). His Majesty's Stationery Office.

Mental Health Act (1983). (c. 20). His Majesty's Stationery Office.

Migration Observatory at Oxford University. (2019). *English language use and proficiency of migrants in the UK*. <https://migrationobservatory.ox.ac.uk/resources/briefings/english-language-use-and-proficiency-of-migrants-in-the-uk/>

Miletic, T., Minas, H. and Stolk, Y. (2006). *Guidelines for working effectively with interpreters in mental health settings*. Victorian Transcultural Psychiatry Unit. <https://babeldc.gr/wp-content/uploads/2018/11/VTPUInterpreterGuidelines.pdf>

Office of National Statistics (ONS) (2022). *Language, England and Wales: Census 2021*. Statistical bulletin. <https://www.ons.gov.uk/peoplepopulationandcommunity/culturalidentity/language/bulletins/languageenglandandwales/census2021>

Napier, J. (2021). *Sign language brokering in deaf-hearing families*. London: Palgrave Macmillan.

NHS Digital (2022a). Detentions under the Mental Health Act. <https://www.ethnicity-facts-figures.service.gov.uk/health/mental-health/detentions-under-the-mental-health-act/latest#download-the-data>

NHS Digital (2022b). *Mental Health Act statistics, Annual figures - 2021-22*. <https://digital.nhs.uk/data-and-information/publications/statistical/mental-health-act-statistics-annual-figures>

NHS England (2020) *Legal guidance for mental health, learning disability and autism, and specialised commissioning services supporting people of all ages during the*

- coronavirus pandemic. <https://www.england.nhs.uk/coronavirus/wp-content/uploads/sites/52/2020/03/C0454-mhlda-spec-comm-legal-guidance-v2-19-may.pdf>
- NHS England (2022). *Information for medical practitioners after the Coronavirus Act 2020*. <https://www.england.nhs.uk/coronavirus/publication/information-for-medical-practitioners-after-the-coronavirus-act-2020-expires/>
- O'Hare, P., Davidson, G., Campbell, J. and Maas-Lowit, M. (2013). Implementing mental health law: A comparison of social work practice across three jurisdictions. *The Journal of Mental Health Training, Education and Practice*, 8(4) 196–207. <https://doi.org/10.1108/JMHTEP-12-2012-0044>
- Office for National Statistics (ONS), (2022), ONS website, statistical bulletin, Language, England and Wales: Census 2021 <https://www.ons.gov.uk/peoplepopulationandcommunity/culturalidentity/language/bulletins/languageenglandandwales/census2021>
- Peters, M., Marnie, C., Tricco, A.C., Pollock, D., Munn, Z., Alexander, L., McInerney, P., Godfrey, C. M., and Khalil, H. (2020). Updated methodological guidance for the conduct of scoping reviews. *JBIM Evidence Synthesis*, 18(10), 2119–2126. <https://doi.org/10.11124/jbies-20-00167>
- Pollock, S. (2023). Social work with interpreters: Using practitioner knowledge to improve practice. *The British Journal of Social Work*, 53(8), 3685–3703. <https://doi.org/10.1093/bjsw/bcad118>
- Richardson, W., Wilson, M., Nishikawa, J., and Hayward, R. (1995). The well-built clinical question: A key to evidence-based decisions. *ACP Journal Club*, 123, A12-13.
- Rodríguez-Vicente, N. (2020). *Dialogue interpreting in psychological medicine: An exploration of rapport management practices*. Unpublished doctoral Dissertation, Heriot-Watt University (UK).
- Rolland, L., Costa, B. and Dewaele, J., (2021). Negotiating the language(s) for psychotherapy talk: A mixed methods study from the perspective of multilingual clients. *Counselling and Psychotherapy Research*. 21 (1), 107-117
- Searight, H. R., and Armock, J. A. (2013). Foreign language interpreters in mental health practice: A literature review and research agenda. *North American Journal of Psychology*, 15(1), 17–38. <https://psycnet.apa.org/record/2013-09240-002>
- Skills for Care. (2024). *Approved Mental Health Professional (AMHP) workforce*. <https://www.skillsforcare.org.uk/Adult-Social-Care-Workforce-Data/Workforce-intelligence/publications/Topics/Social-work/Approved-Mental-Health-Professional-workforce.aspx>
- Simpson, M. (2020). A structured narrative literature review of Approved Mental Health Professional detention decisions: An infusion of morality, *Practice*, 32(4), 285–300. <https://doi.org/10.1080/09503153.2020.1782874>

- Smith, T. (2021). Government drops proposed overhaul of Mental Health Act-MCA interface due to ‘very limited support’. *Community Care*.
<https://www.communitycare.co.uk/2021/07/23/government-drops-proposed-overhaul-mental-health-act-mca-interface-due-limited-support/#:~:text=The%20government%20has%20dropped%20a,assessments%2C%20which%20are%20currently%20unlawful>
- Social Care Institute for Excellence (SCIE) (2003). Types and quality of knowledge in social care. *Science Knowledge Review No.3*
<https://www.scie.org.uk/publications/briefings/methodology/files/rbquality.pdf>
- Statista (2023). Detentions under the Mental Health Act 1983 in England 2009-2021 [Data set]. *Statista*. <https://www.statista.com/statistics/399137/detentions-under-the-mental-health-act-1983-in-england/>
- Theys, L., Krystallidou, D., Salaets, H., Wermuth, C., and Pype, P. (2020). Emotion work in interpreter-mediated consultations: A systematic literature review. *Patient Education and Counseling*, 103(1), 33–43. <https://doi.org/10.1016/j.pec.2019.08.006>
- Tipton, R. (2016). Perceptions of the ‘occupational other’: Interpreters, social workers and intercultural. *The British Journal of Social Work*, 46(2), 463–479.
<https://doi.org/10.1093/bjsw/bcu136>
- Tribe, R., and Lane, P. (2009). Working with interpreters across language and culture in mental health. *Journal of Mental Health*, 18(3), 233–241.
<https://doi.org/10.1080/09638230701879102>
- Tribe, R., and Thompson, K. (2022). *Working with interpreters in mental health*. *International Review of Psychiatry*, 34(6), 613–621.
<https://doi.org/10.1080/09540261.2022.2073202>
- Tricco A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E.A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M.G., Garritty, C., and Straus, S.E. (2018). PRISMA extension for scoping reviews (PRISMA-ScR): Checklist and explanation. *Annals of Internal Medicine*, 169(7), 467–473.
<https://doi.org/10.7326/M18-0850>
- UK Government (2018). *Modernising the Mental Health Act – final report from the independent review*. <https://www.gov.uk/government/publications/modernising-the-mental-health-act-final-report-from-the-independent-review>
- UK Government (2021). *Consultation outcome. Reforming the Mental Health Act*.
<https://www.gov.uk/government/consultations/reforming-the-mental-health-act/reforming-the-mental-health-act>
- UK Parliament (2023). *Joint Committee on the Draft Mental Health Bill*.
<https://committees.parliament.uk/committee/605/joint-committee-on-the-draft-mental-health-bill/>

- Vicary, S., Young, A., and Hicks, S (2019). “Role over” or roll over? Dirty work, shift, and Mental Health Act Assessments. *British Journal of Social Work*, 9(8), 2187–2206. <https://doi.org/10.1093/bjsw/bcz014>
- Wand, A. P. F., Pourmand, D., and Draper, B. (2020). Working with interpreters in the psychiatric assessment of older adults from culturally and linguistically diverse backgrounds. *International Psychogeriatrics*, 32(1), 11–16. <https://doi.org/10.1017/S1041610219000280>
- Watson D. (2016). Becoming an Approved Mental Health Professional: An analysis of the factors that influence individuals to become Approved Mental Health Professionals. *Journal of Mental Health*, 25(4), 310–314. <https://doi.org/10.3109/09638237.2015.1124393>
- Weber, O., Klemp, J., Chmetz, F., Daliani, A., Diserens, E-A., and Faucherre, F. (2022). Interpreter-mediated psychiatric assessments: Metacommunication as key. *Transcultural Psychiatry*, 60(4). <https://doi.org/10.1177/13634615221119383>
- Welsh Assembly Government (2008) Mental Health Act 1983 Code of Practice for Wales. <https://www.conwy.gov.uk/en/Resident/Social-Care-and-Wellbeing/Adults/Adult-mental-health/Assets-Adults-Mental-Health/documents/Mental-Health-Act-1983-Code-of-Practice-for-Wales.pdf>
- Welsh Assembly Government (2016) Mental Health Act 1983 Code of Practice for Wales. <https://www.gov.wales/mental-health-act-1983-code-practice>
- Wilson, C., Perez, I., and Rodríguez-Vicente, N. (2018). 2018 Revision of the Mental Welfare Commission for Scotland - Good practice guide: Working with an interpreter. https://www.mwcscot.org.uk/sites/default/files/2019-06/interpreters_toolkit_feb2018.pdf
- Young, A., Tipton, R., Napier, J., Rodríguez-Vicente, N., Vicary, S., and Hulme, C. (2023). Mental health professionals’ (AMHPs) perspectives on interpreter-mediated mental health act assessments. *Journal of Social Work*. <https://doi.org/10.1177/14680173231197987>
- Zimányi, K. (2013). “Somebody has to be in charge of a session”: On the control of communication in interpreter-mediated mental health encounters. *Translation and Interpreting Studies*, 8(1), 94-111. <https://doi.org/10.1075/tis.8.1.05zim>

Appendix 1 - Sources

1.1. Journals used in our pre-screening search

British Journal of Occupational Therapy, British Journal of Psychiatry, British Journal of Social Work, Health and Social Care in the Community, International Journal of Nursing Studies, Journal of Mental Health, Journal of Psychiatric and Mental Health Nursing, Journal of Social Welfare and Family Law, Journal of Social Work, Practice, The Journal of Mental Health Training, Education and Practice, Qualitative Social Work, Translation and Interpreting Studies, Patient Education and counselling; Meta: Journal des Traducteurs; Interpreting: Research and Practice in Interpreting; Interpreting and Society; The Translator; The International Journal of Interpreter Education; The Translator and Interpreter Trainer; The International Journal of Translation and Interpreting Research, Journal of Specialised Translation and Across Languages and Cultures.

1.2. Grey literature sources

Acts of Parliament and associated statutory guidance, NHS Digital, Mental Health Act Review annual and special reports, Care Quality Commission, Mental health Foundation, Social Work England, Human Rights Alliance, Association of Sign Language Interpreters UK, British Association of Social Workers, Community Care online, Centre for Mental Health, Department of Health and Social Care, Health and Care Professions Council, Law Commission, Mental Health Act Commission, mental health Alliance, Mental health in Higher Education, National Association for Mental Health, The College of Occupational Therapy.

Appendix 2 – PAGER framework (table provided separately)